



Office of the Director-General
S/1230/2014
18 December 2014
Original: ENGLISH

NOTE BY THE TECHNICAL SECRETARIAT

THIRD REPORT OF THE OPCW FACT-FINDING MISSION IN SYRIA

1. On 29 April 2014, the Director-General announced the creation of an OPCW Fact-Finding Mission in Syria (hereinafter “the Mission”). The Mission was mandated to establish the facts surrounding allegations of the use of toxic chemicals, reportedly chlorine, for hostile purposes in the Syrian Arab Republic.
2. The Mission submitted its summary report covering the period from 3 to 31 May 2014 on 16 June 2014 (S/1191/2014, dated 16 June 2014) and its second report on 10 September 2014 (S/1212/2014, dated 10 September 2014). Both reports were circulated to the States Parties.
3. The third report of the Mission is hereby circulated to the States Parties. This report provides a more detailed account of the work undertaken by the Mission in the second phase and the process leading to the findings presented in its second report regarding the use of chlorine for hostile purposes. The Mission has presented its conclusions with a high degree of confidence that chlorine has been used as a weapon. The work of the Mission has remained consistent with its mandate, which did not include the question of attributing responsibility for the alleged use. Based on the available information, the Mission has completed its work with regard to the allegations of the use of chlorine in the villages of Talmenes, Al Tamanah, and Kafr Zita.
4. The Director-General should also like to advise the States Parties that the Syrian Arab Republic, through a letter dated 15 December 2014, has informed him that some documents providing information on the allegations of use of chlorine in the Syrian Arab Republic would be delivered soon. Once these documents are received, they will be examined by the Mission and the outcome of the examination will be circulated to the States Parties.

Annexes:

- Annex 1: Cover Note by the Head of the OPCW Fact-Finding Mission in Syria
Annex 2: Third Report of the OPCW Fact-Finding Mission in Syria



Annex 1

**COVER NOTE BY THE HEAD
OF THE OPCW FACT-FINDING MISSION IN SYRIA**

17 December 2014

Director-General,

In continuation of the Second Report of the Fact-Finding Mission (FFM) in Syria, dated 10 September 2014, I submit herewith the third report of the FFM.

Malik Ellahi
Head of the FFM

Annex 2

THIRD REPORT OF THE OPCW FACT-FINDING MISSION IN SYRIA

1. INTRODUCTION

- 1.1 This report, while chronologically the third of the OPCW Fact-Finding Mission in Syria (hereinafter “the Mission”), is essentially an expansion of the second report issued in September 2014, presented in support of its key findings.
- 1.2 The first report issued in June 2014 detailed, inter alia, the genesis of the Mission, its objectives and purposes, and its mandate. That report also covered the extensive discussions with the Government of the Syrian Arab Republic in early May 2014, as well as the Government’s views. Under the terms of reference agreed with the Syrian Arab Republic, for locations of interest to the Mission that were not under Government control, the Mission was to make its own arrangements for conducting on-site activities as part of its work. These anticipated activities included interviewing witnesses from the areas that were allegedly attacked with a toxic chemical believed to be chlorine. Subsequently, with access to any of the areas virtually ruled out as a result of the armed attack on the Mission convoy on 27 May 2014, the Mission, which despite the known challenges was asked to continue its work by general consent of the States Parties, followed up its work by bringing witnesses to a safe location outside the Syrian Arab Republic.
- 1.3 This report details witness examinations and the accounts of incidents emerging therefrom. It also provides samples of the kind of supporting documents and data that were acquired. It highlights the serious constraints of conducting an inquiry of this nature in a conflict zone.
- 1.4 Despite these issues, the key findings presented in the second report follow the application of widely used and established methods of inquiry, which this third report will serve to highlight.
- 1.5 The witnesses from the three villages of Talmenes, Al Tamanah and Kafr Zita include casualties,¹ family members of victims,² first responders, nurses, and treating physicians.
- 1.6 In establishing that chlorine has been used as a weapon, the Mission was able to cross-check information available from publicly accessible sources with information that it acquired independently, including video recordings; these collections of information and data are in harmony with the descriptions and characterisations provided by the interviewed witnesses.
- 1.7 The signs and symptoms described and documented are typical of the chemical effects of exposure to pulmonary irritants. The severity of symptoms varied and depended on

¹ Casualty = a person who has survived an alleged exposure to a toxic chemical and may display clinical features consistent with the physiological effects of toxic chemicals.

² Victim = a person who may have been exposed to a lethal dose of toxic chemical.

a number of factors, such as the concentration of the toxic gas, the duration of exposure, the age of the victim, and the time medical treatment was received.

- 1.8 The casualties, of which there was a large number, turned to the nearest medical points/field hospitals in their village or neighbourhood. Different means of transportation were used and other hospitals became involved, as the immediate medical points did not have the capacity to treat the number of patients showing up. The field hospitals in the conflict area are poorly equipped and staffed and are unable to provide the advanced treatment required by the number of persons severely exposed. Such persons were often sent to other hospitals, including out-of-country facilities. The lack of protection, severe exposure, absence of proper treatment, and prolonged medical evacuation to higher medical echelons led to a number of fatalities. Of the 350 to 500 casualties reported by the witnesses, 13 died, either at the place of the attack or shortly thereafter, or on the way to the next hospital or a few days later, despite receiving advanced medical treatment. These victims presented acute lung injuries induced by toxic gases followed by pulmonary oedema.
- 1.9 As the report shows, witnesses also described the features of the munitions, and the unusual and striking characteristics of the damage, including environmental consequences and effects on livestock, vegetation, and household goods and materials. They also described the gas, its dissipation in the open air, and its lingering inside houses for days on end.
- 1.10 Insofar as these three villages are concerned, the Mission believes that its work has now been concluded. However, the Mission could consider supplementary information which may be obtained from other sources. Furthermore, as requested in May 2014 and as subsequently communicated by the Director-General, the Mission remains open to reflect any substantive information that the Syrian Arab Republic will provide.

2. CHALLENGES AND CONSTRAINTS

- 2.1 The Mission faced a number of challenges in its endeavour to collect facts relating to the allegations of use of toxic chemicals in the conflict in the Syrian Arab Republic. Ideally, the Mission should have been able to physically visit the locations of the alleged incidents. Such visits would have provided the opportunity to:
 - (a) assess the layout of the places, for example by studying the topography of the villages;
 - (b) physically evaluate the damage caused by the munitions containing toxic chemicals, for example the size of impact craters, and damage to surrounding structures;
 - (c) study the remnants of munitions that exploded as well as those that reportedly remained intact, and to collect samples;
 - (d) collect environmental samples from impact sites for analysis;

- (e) physically observe the effects of chemicals on vegetation and collect samples where relevant;
- (f) visit the hospitals and make assessments of the available facilities;
- (g) peruse the hospital records including patient registers, treatment records, radiographs, etc.;
- (h) interview medical staff;
- (i) collect testimonies from all persons who were affected by toxic chemicals and underwent treatment;
- (j) carry out clinical examinations of those affected;
- (k) collect biomedical samples, as necessary; and
- (l) document by video all of these activities and observations.

2.2 Chlorine, by nature, dissipates from environments rapidly, thus making its detection difficult. At room temperature, chlorine is a yellow-green gas, more than twice as heavy as air, and moderately water-soluble. It has a detectable odour even at low concentrations, and is a potent eye, skin, and respiratory irritant. Chlorine reacts promptly with water in the mucous membranes and airways to form hydrochloric and hypochlorous acids, leading to acute inflammation of the conjunctiva, nasal mucosa, pharynx, larynx, trachea, and bronchi. Acute exposures can result in symptoms of acute airway obstruction, including wheezing, cough, tightness in the chest, and dyspnoea. Clinical signs, including hypoxemia, wheezes, rales, and abnormal chest radiographs, may be present. More severely affected individuals may suffer acute lung injury and acute respiratory distress syndrome. Severe exposure could lead to death. Chronic sequelae may include increased airway reactivity, which tends to diminish over time. There are no established biomarkers for chlorine.

2.3 The activities that the Mission had planned, as mentioned earlier, might have compensated for the inherent limitations of any inquiry into the use of chlorine as a weapon. It was intended to collect multiple environmental samples from the soil from the point of impact, as well as from areas downwind and upwind of that point. The expectation was that chlorine would deposit on soil and be transported into the soil column, where it is converted to a variety of products, including chloride ion. Chloride is a natural component in soil, however, detection of high levels of chloride in the upper layers of the soil in areas near or downwind of the point of dissemination could be indicative of chlorine release. Samples were therefore planned to be collected from multiple locations both upwind and downwind of the alleged release point. Ideally, samples would have been collected in such a way as to maintain the soil column structure and sampled along the length of the soil column. Chloride concentrations in the soil column can be determined in a laboratory by means of ion chromatography or ion selective electrode. It was expected that values of chlorides would be highest at the impact point, followed by places downwind and, to a lesser extent, places upwind of the impact point.

- 2.4 Similarly, the Mission also planned to physically examine the munitions containing toxic chemicals and to take swipe samples from the bodies or remnants of these munitions, and to sample other contents such as explosive materials, if available.
- 2.5 Though there are no established biomarkers in the case of exposure to chlorine, the Mission initially researched the possibility of detecting and studying exposure concentration-dependent increases in 3-chlorotyrosine and 3,5 dichlorotyrosine among those who were exposed. This method has been studied by research scientists in rats, using biopsies from nasal tissue. However, this line of inquiry would not have been feasible, as it would have been near impossible to collect invasive samples in field conditions. At the same time, exposure to other chlorinated compounds, as well as inflammatory processes in the body, can also produce 3-chlorotyrosine and 3,5 dichlorotyrosine, making the test non-specific.
- 2.6 However, the Mission failed to gain physical access to the location of an alleged attack when its convoy came under armed attack in May 2014. Under these circumstances, the focus of the inquiry was shifted to collecting the testimonies of witnesses, victims, and those providing medical care, together with collecting and examining relevant documentary evidence. Arrangements were made to ensure that the individuals who were interviewed included treating physicians, first responders, nurses, affected individuals, and witnesses to the events. Although the interviews were conducted at a safe location, the attendant risks of movements from a conflict zone, especially for volunteers willing to participate in this task, imposed limitations of time and space that had to be overcome as best as the circumstances permitted. For understandable reasons, it was difficult to get more representation from women from the affected locations. Physical evidence relating to environmental samples brought by one of the interviewees was not accepted by the Mission, owing to the lack of a chain of custody. There were also ethical issues associated with interviewing some young individuals who were not accompanied by their parents; these were therefore excluded from the inquiry. However, the statement of one minor boy was recorded, as he insisted on being heard. The documentation of casualties at hospitals was not extensive, owing to high patient turnover and limited medical staff, who were focused on treatment rather than documentation. In compiling its reports, the Mission made allowances for the fact that since multiple similar events were claimed, some of the interviewees remembered partial details or could not exactly recall which specific incident a detail related to.
- 2.7 The Mission also could not rely on clinical examinations, as the medical symptoms caused in survivors exposed to the toxic substance had been resolved either through treatment or spontaneously over the intervening period. As the Syrian Arab Republic is in a state of armed conflict, record keeping, including the recording of deaths, is also affected. The hospitals at all locations in question are sparsely furnished with medical equipment, thus the treating physicians were unable to take blood tests, perform radiographs, etc. In addition, the serious cases, which would have yielded the most findings, were transferred to higher echelons of medical care, and it was not possible to interview medical staff from these hospitals. The videos of events or of post-event situations that were provided by the interviewees were taken with mobile phone cameras, among others; a number of these are hurried and do not necessarily focus on areas of interest to the Mission.

- 2.8 Despite these limitations and challenges, the Mission was able to collect sufficient critical information and data in support of the conclusions and key findings presented in its Second Report.

3. METHODOLOGY/ORGANISATION OF WORK

- 3.1 The Mission's preparations included the identification of credible information available in open sources and the cross-checking of this directly against information that it acquired in the course of its work, the identification of cases that would provide maximum information, and the identification of individuals who were directly involved in incidents in some capacity, including casualties and treating physicians. As it was no longer feasible to conduct on-site work as a result of the security incident in May 2014, a suitable location outside the Syrian Arab Republic was identified, and arrangements were set in motion to conduct witness interviews and collect data there. Contacts established during the work carried out in the first phase of the Mission, during which the team remained in Damascus for nearly a month, were utilised to facilitate this second phase of work. The arrangements that had been made for the aborted site visit to Kafr Zita were facilitated by these same sources, who were also instrumental in securing the release of the members of the team who were detained near Kafr Zita following the armed attack on the Mission's convoy.
- 3.2 The advance party, comprising the OPCW Team Leader and the second medical specialist, departed from OPCW Headquarters on 17 August 2014 and reached the site planned for conducting interviews on 18 August 2014. The advance party members carried with them the required equipment and supplies. They also established a safe location that would provide anonymity to all participants from both the OPCW and the Syrian Arab Republic. Arrangements were also made to ensure the physical safety of team members and interviewees. The advance party was joined by two externally hired interpreters on 19 August 2014.
- 3.3 The main body of the team, led by the Head of the Mission, the political affairs officer, and the OPCW interpreter, reached the planned site on 20 August 2014. The team then set up four collocated offices where interviews were to be conducted; these included two rooms for interviews that would run concurrently. All offices were sealed with OPCW tags, and arrangements were made to guard these offices at all times throughout the duration of the Mission. These security arrangements, besides providing safety and anonymity to all persons, were also required to ensure the safe custody of the data that was being gathered by the Mission.
- 3.4 The rear party of the Mission consisted of the OPCW chemical weapons munitions specialist, who carried with him additional equipment and material and joined the team on 23 August 2014.
- 3.5 The first interviewee provided his testimony and data to the Mission on 22 August 2014. The first group of interviewees from Talmenes reached the site on 25 August 2014. The Mission started with the interviews of two treating physicians on the same day, followed by interviews of other individuals from the group. A total of 14 individuals from the village of Talmenes were interviewed up until 29 August 2014.

- 3.6 The second group of interviewees from the village of Al Tamanah was available to the Mission on 29 August 2014, and interviews were held from 29 August to 2 September 2014. A total of 14 individuals from this village were interviewed.
- 3.7 The third and final group of interviewees, from Kafr Zita, was available to the Mission as from 2 September 2014, and the collection of their testimonies as well as data and documents concluded on 5 September 2014. Of the members of this group, nine interviews were held. Two members of this group were minors and had come unaccompanied by a parent or guardian and were therefore not interviewed. A few individuals from Kafr Zita who had been pre-identified for interviews were unable to join the group owing to unfavourable conditions.
- 3.8 For the interviews, the Mission was divided into two groups that conducted concurrent interviews in two separate rooms. At the end of each day, the Mission as a whole held a wash-up session and shared its findings. This was followed by the registration, sealing, and securing of all data and documents acquired that day.
- 3.9 At the beginning of the interviews, each interviewee was given an explanation of the process with interpretation in Arabic. Once the process was agreed, the recording devices were switched on. Consent for the interviews was prepared using the personal details of individuals and their identification papers, which were checked and cross-checked with information available to the Mission. This was followed by the signing of consent forms, of which copies were handed over to the interviewees. Example copies of such identification papers and signed consent forms are provided in Appendices 1 and 2, respectively. All interviewees were assured that they would remain anonymous.
- 3.10 In the next step of the interview process, the group leader would introduce the members of team to the interviewee. This was followed by the introduction of the interviewee and his or her statement. Questions were put to the interviewees based on the statements made by them, with a view to obtaining a full account of what they witnessed and experienced. The testimonies and evidence thus gathered from each individual was separately packed and sealed with OPCW seals and tags. The list of materials that were gathered from interviewees is provided in Table A of this report (see Attachment). All of the equipment that was used during these interviews was officially issued from the OPCW Equipment Store; no unauthorised equipment was used at any stage. All materials were handled in accordance with the OPCW Manual of Confidentiality Procedure and classified as “**OPCW HIGHLY PROTECTED**”. Once the report is published, all information and documents generated during the Mission will be sealed and stored at OPCW Headquarters.

4. LIST OF MATERIALS GATHERED

- 4.1 The Mission gathered all materials during the interviewing process. All materials are listed and quantified in Table A, which shows the date of origin, the date they were made available to Mission, the originator, and the title. The materials include consent forms, identification documents such as ID cards, passports, and birth certificates issued by the Government of the Syrian Arab Republic, diagrams, hospital treatment records and investigation reports, certificates of qualification of treating physicians and nurses, testimonies in audio and/or video format, videos of incidents, photographs

from incidents, documents detailing incidents, and marked maps. Examples of such materials are attached in various appendices to this report.

- 4.2 Similarly, the materials produced by the members of the Mission are listed and quantified in Table B (see Attachment). These materials comprise the OPCW inspection notebooks that were used by the team members during the interview process. An example from a page of one such notebook is provided in Appendix 3.

5. INCIDENT DESCRIPTIONS

5.1 The Mission interviewed individuals from three locations where chlorine was allegedly used as a weapon. These locations are the villages of Talmenes, Al Tamanah, and Kafr Zita. The relative location of these places is shown in the map provided in Appendix 4. The incident descriptions that follow are based on witness statements and interviews and refer, as appropriate, to other relevant information and documents.

Talmenes

5.2 Talmenes is a village in the Idlib Governorate of the Syrian Arab Republic. The population of the village is approximately 20,000 and is made up of both local residents and internally displaced persons (IDPs). The village is not under the control of the Syrian Arab Republic and is reportedly on the front line with the governmental controlled Wadi al-Deif, located some 2 km to the east of the village. Witnesses reported frequent airborne, artillery, and mortar attacks. A large number of families including IDPs do not live in their own houses in the east of the village, but have instead moved into tents set up on the western side of the village.

5.3 Between 25 and 29 August 2014, the Mission interviewed and collected the testimonies of 14 individuals from Talmenes. The testimony of one minor was also collected in the presence of her parent, who gave permission and was present in the interview room at the time. The group comprised treating physicians, nurses, first responders, casualties, and witnesses, including family members of victims. The details of these interviewees are given in Table 1 below.

TABLE 1: AGE AND GENDER DISTRIBUTION OF INTERVIEWEES FROM THE VILLAGE OF TALMENES

| No. | Interviewee | Age | Gender |
|-----|-----------------------|-----|--------|
| 1. | Witness | 26 | Male |
| 2. | Treating physician | 34 | Male |
| 3. | Treating physician | 32 | Male |
| 4. | Witness | 45 | Male |
| 5. | Casualty | 37 | Female |
| 6. | Casualty | 16 | Female |
| 7. | Casualty/witness | 19 | Male |
| 8. | Casualty | 21 | Female |
| 9. | Casualty/witness | 44 | Male |
| 10. | Nurse | 25 | Male |
| 11. | Nurse/first responder | 26 | Male |
| 12. | Witness | 45 | Male |
| 13. | Witness | 38 | Male |
| 14. | Casualty | 12 | Female |

5.4 The village of Talmenes has one field hospital, which is in one of the buildings in the village and is intended specifically for the medical needs of this village, including the treatment of traumatic war injuries. The hospital has a staff of seven doctors specialised in the fields of general surgery, internal medicine, and paediatrics, as well

as 20 other staff including nurses, drivers, and cleaners. The hospital staff members do not have formal training in the management of injuries resulting from chemical incidents, and the treatment provided at this hospital is symptomatic. The doctors at this hospital work at similar field hospitals in neighbouring villages on different days of the week. The Talmenes hospital reportedly once came under direct conventional fire, resulting in the deaths of two patients. The structure of the hospital has been augmented continuously since its establishment. The resources available at the hospital are limited, and essentially only first aid is provided locally before patients are transferred to higher medical echelons for definitive treatment. All individuals who present to this field hospital for routine ailments and war injuries are registered, and all medical records are maintained.

- 5.5 Talmenes field hospital has around 12 patient beds, a few oxygen cylinders, one vintage radiography machine that rarely functions, and one functional operation theatre. However, the hospital lacks any laboratory or intensive care unit. Patients are evacuated to similar field hospitals in the neighbouring villages of Jarjenaz, Al Tamanah, and Kafr Zita whenever the patient load exceeds the capacity of the hospital, as was the case during a toxic chemical attack on 21 August 2014. Patients are transferred to higher echelons of medical care to hospitals in Saraqueb (approximately 50 km away) and Bab Al-Hawa (approximately 100 km away). These hospitals have some intensive care capabilities and are relatively better resourced than the field hospitals. Those requiring further medical management are sent to hospitals outside the Syrian Arab Republic. The Talmenes field hospital has only one ambulance with the capacity to transport two patients. The available ambulance has only an oxygen cylinder, a suction apparatus, and some emergency drugs to provide medical support during patient transfer. Whenever additional transport means are required to transfer patients, these are either provided by the field hospitals in neighbouring villages or by volunteers from the village, who transport patients in their personal cars or vans.
- 5.6 Talmenes village was attacked with toxic chemicals on two separate occasions, first on 21 April 2014 and again on 24 April 2014. The individuals who were interviewed described the attack of 21 April 2014 to the Mission.
- 5.7 All interviewees claimed either seeing or hearing a helicopter overhead at the time of the incident. The interviewees explained that they were familiar with two model types of helicopters. These fly at high altitudes, as explained by interviewees, in order to stay out of the range of ground-based weapons. The helicopters that are reportedly used in attacks carry munitions on external platforms attached to the helicopters, which have been described as “wings” by the interviewees.
- 5.8 Rudimentary early-warning methods include the use of hand-held radios and announcements from public address systems (loudspeakers) installed on the minaret of the village mosque. There is currently no mobile telephone coverage in this village.
- 5.9 Once warned, the villagers anticipating a conventional attack would typically escape to an olive grove to the east of the village. As it is located in a natural depression, this place is chosen to avoid injuries from flying or falling debris.

- 5.10 As reported, on 21 April 2014, at around 10:30 to 10:45, two “barrel bombs” were dropped on the village in the neighbourhood around the “big” mosque. The bombs struck two houses at a distance of some 100 m from each other. The first bomb fell on the kitchen roof of one house, destroying the kitchen, the adjacent toilet, and part of the wall of one room. The second bomb fell in the open courtyard of another house. Example sketches and a photograph of the impact points of the munitions are given in Appendices 8 and 9.
- 5.11 The weather on 21 April 2014 was described as a typical spring day, sunny with clear skies and a temperature of around 25 to 30°C. As stated by an interviewee, a mild breeze was blowing from west to east, which is the usual breeze pattern in this region.
- 5.12 The villagers showed familiarity with the explosive sound of conventional munitions, and compared it to the more muted sound produced by the strike of the munitions with toxic chemicals. The latter sound is typically described as a “thud” as compared to the “boom” accompanied with the “shaking of the ground” of conventional weapons. As this was the first such attack on this village, the inhabitants mistakenly assumed that the bomb failed to explode, until they saw the yellow cloud. The falling barrel bombs produce a whistling sound which, as explained by the interviewees, is caused by the air vents in the outermost encapsulation. One witness produced a sketch of such a munition, along with other designs with measurements (see Appendix 13). The barrel bombs, as described and sketched by the interviewees, did not have a standard design and appeared to be improvised constructions.
- 5.13 The dimensions of the bombs that reportedly struck Talmenes were approximately 2 x 1 m in size; the thickness of the outer casing was around 2.5 cm. The approximate weight of the bomb, in the opinion of the interviewees, varied from 250 to 500 kg. One interviewee described and sketched the image of barrel bomb with stabilisation fin-like protrusions from the outer barrel. These stabilisation fins can be seen in the photograph of a barrel bomb in Appendix 12. As seen in open sources and confirmed by interviewees, the cylinders of the barrel bombs that were dropped on Talmenes on 21 April 2014 bore the markings “CL2”, which were engraved on the body. These markings can be seen in the pictures of the cylinder contained in the barrel bomb (see Appendix 14). These pictures are screen-grabs from video footage provided by an interviewee.
- 5.14 The impact of these barrel bombs on the ground and the resulting explosion do not cause much damage to the surrounding buildings. These barrel bombs also do not generate splinters as is the case with conventional munitions. The Mission was provided with a video of the damaged houses where the bombs struck. The damage to the structure of the houses was seen only in places where the bombs had impacted directly, and there was no other physical damage to the other structures of the houses. Also, none of the affected individuals in the attack described had any signs of physical trauma on their bodies, but only suffered from the effects of a toxic chemical. The impact created a crater approximately 1.5 m deep and 2 m wide in the first house, and 1.4 m deep and 3 m wide in the second house. Photographs of such measurements from the first house are provided in Appendix 21.

- 5.15 The interviewees described the release of honey wax-to-yellow coloured gas from the dropped bomb. The gas cloud rose to a height of some 50 to 75 m, a few meters higher than the village mosque minaret, which stands at 40 m. The gas cloud that was generated was described as shaped like a tree. The cloud was very dense and people in the immediate vicinity of the impact were unable to see through the yellow “dust” that was suspended in the air. All of the interviewees described the smell of the released gas typically as pungent, irritating, and “of chlorine”, or similar to household cleaning agents but much more intense. This cloud, along with the wind, then lifted and moved towards the east, settling at a height of some 1 to 1.5 m above the ground, and covering one of the main streets of the village used by villagers as an escape route to the east. The cloud was spread over an area of some 200 m and people were affected as far as 1 to 1.5 km downwind. A screen-grab from a video recording of such a cloud provided to the Mission by an interviewee is attached in Appendix 23.
- 5.16 People escaped towards the olive grove to the east of the village, a place where they routinely sought refuge whenever the village came under attack. They lacked knowledge about protection against chemical attacks so ended up trying to escape downwind, the direction of the hazard. The olive grove where people had gathered is also in a natural depression in the ground, into which the toxic chemical drifted. This led to approximately 200 people being affected.
- 5.17 The family living in the first house lost a seven-year-old boy, who died within a few hours of exposure, and a teenage girl, who died on the third day after exposure. The other family members were also severely exposed, and most of them had to be transferred for medical management outside the Syrian Arab Republic. These individuals required intense and prolonged treatment in the hospital, lasting up to three weeks in one case. Though the seven-year-old boy was some 15 m from the point of impact of the barrel bomb, there were no signs of physical trauma on his body, which had developed cyanosis and, as explained by interviewees, “turned blue in colour”. The Mission was provided with a photograph of this dead child; the body lacked any signs of physical trauma. Similarly, other family members did not suffer from any physical trauma. In the second house, the family members who were home at the time of the attack and inhaled the toxic chemical suffered from severe medical effects and required medical care. The matriarch of this family died as a result of this exposure on 25 April 2014, in a hospital outside the Syrian Arab Republic. Photographs and/or autopsy records of the seven-year-old boy and the teenage girl from the first house, and of the elderly woman from the second house, were provided to the Mission. The Mission was also provided with autopsy-related records for these purposes.
- 5.18 Domestic animals including cows, goats, and sheep died at both houses, with the younger animals dying immediately and fully grown animals a few hours later. In addition, pigeons and chickens died in the incident. Screen-grabs from videos filmed by interviewees are attached in Appendix 25. The vegetation at these houses, including olive, pomegranate, fig, and apple trees, as well as grapevines and pepper plants, was also affected. The leaves of these plants dried, shrivelled and turned yellow shortly after exposure to the chemical. Fruit on the trees fell to the ground. Screen-grabs from videos of dropped fruit and wilted leaves provided by an interviewee are attached in Appendix 24. According to the testimony of one

individual explaining the effects on plant leaves, “it appeared as if the plants have never been watered”. The new leaves that sprouted later were normal. The cattle feed stored in the houses started to smell of chlorine and had to be thrown away. Similarly, household objects like mattresses also absorbed the chemical and started reeking of chlorine, and were left unusable. Metallic doorknobs took on a greenish-brown hue some time after the attack after exposure to the chemical vapours. One female interviewee also mentioned unusual rusting of the metal of a barrel, which developed very quickly over a matter of days (see photo in Appendix 26). Darker coloured clothes that were exposed also lost colour and became lighter in places exposed to chemical vapour.

- 5.19 Individuals who were in the vicinity of the attack or who were caught up in the gas cloud sought to protect themselves as best as they could, with most of them covering their mouths and noses with wet towels or such. The members of one family protected themselves by standing under an overhead running shower until they were rescued. None of those who were exposed possessed or used a proper protective gas mask.
- 5.20 The individuals who were affected and suffering from the adverse effects of the toxic chemicals were rescued by neighbours and other village volunteers, who used personal cars and in some cases motorcycles. A few people at the periphery of the event and with minimal exposure escaped on foot. Affected individuals were initially taken to the field hospital in Talmenes. Because of the heavy patient load which exceeded the available resources at the local hospital, patients with mild symptoms were transferred to other similar field hospitals in the neighbouring villages of Jarjenaz, Al Tamanah, and Kafr Zita. Individuals exposed to higher concentrations of the chemical had severe clinical effects and needed intensive care, such as intubation and mechanical ventilation, and were transferred to hospitals in Saraqueb, Bab Al-Hawa, and outside the Syrian Arab Republic.
- 5.21 The Talmenes field hospital received approximately 200 patients on 21 April 2014. However, the hospital staff were able to register the names of 133 individuals, as they had referred the remaining patients directly to other hospitals in the vicinity without providing any medical treatment locally owing to a lack of resources. A copy of the patient registration book at the Talmenes hospital showing the name, age, gender, and other patient details was provided by treating physicians and is available to the Mission. This list will not be included in this report in order to maintain the confidentiality of identities. The age distribution of the 133 patients treated at the Talmenes field hospital is provided in Table 2 below.

TABLE 2: PATIENT DISTRIBUTION ACCORDING TO AGE GROUP

| Age group | Total | Males | Females |
|----------------|------------|-----------|-----------|
| 0 to 5 years | 21 | 8 | 13 |
| 6 to 10 years | 22 | 14 | 8 |
| 11 to 15 years | 18 | 11 | 7 |
| 16 to 20 years | 14 | 7 | 7 |
| 21 to 25 years | 14 | 8 | 6 |
| 26 to 30 years | 12 | 4 | 8 |
| 31 to 40 years | 16 | 8 | 8 |
| 41 to 50 years | 10 | 6 | 4 |
| 51 to 60 years | 3 | 1 | 2 |
| 60 to 70 years | 3 | 2 | 1 |
| Total | 133 | 69 | 64 |

- 5.22 Depending on the extent of the exposure to the toxic chemical, the individuals who were affected and reported to the Talmenes field hospital presented with the following symptoms: burning sensation in the eyes; redness of the eyes; itchy eyes; excessive tearing; blurred vision; a burning sensation on the face and exposed skin; a burning sensation in the throat; coughing; difficulty breathing; shortness of breath; a feeling of suffocation; excessive nasal discharge; watering in the mouth; nausea; vomiting; abdominal pain; diarrhoea; headache; generalised weakness; drowsiness; disorientation; feeling of panic; and loss of consciousness. The intensity of the symptoms experienced were more severe in persons exposed to higher concentrations of the toxic chemical, as well as in persons who initially delayed seeking medical help. The most commonly reported symptoms were coughing, difficulty breathing, a feeling of suffocation, burning sensations, excessive tearing, and excessive nasal discharge.
- 5.23 The decontamination of patients in a few cases involved the washing of the exposed area of skin, especially the face, with soap and water. This decontamination was not organised centrally at the hospital for everyone who sought medical care, owing to a lack of resources at the hospital. However, the Talmenes field hospital has now set up two separate tents to provide privacy for males and females needing to wash with soap and water.
- 5.24 The attending medical staff complained of the strong smell of chlorine emanating from the clothing of casualties. The only protective means available to hospital staff were surgical masks and latex gloves, which hardly offered any protection from the vapours. As a result, the staff also became cross-contaminated and suffered from coughing, a burning sensation in the eyes and throat, and excessive tearing. These symptoms were relieved by moving into the fresh air, and no medical intervention was required.
- 5.25 On clinical examination, the spectrum of signs as observed and documented by treating physicians from the Talmenes field hospital and higher medical echelons included: redness of the eyes; excessive lacrimation; rhinorrhoea; coughing; perspiration; tachypnoea; dyspnoea; orthopnoea; cyanosis; increased tracheal

secretions that were frothy and pink in severe cases; hypoxemia with SpO₂³ on pulse oximetry readings as low as 60%; widespread rhonchi and crepitations bilaterally; agitation; and altered levels of consciousness. The severity of symptoms varied among individuals depending on the amount and duration of the exposure. People with mild exposure complained only of tearing and coughing, however people exposed to higher concentrations and for a longer duration, as was the case of those in the immediate vicinity of the point of release of the toxic chemical, had respiratory distress at the time of presentation. Examples of documentary evidence showing hypoxemia and pulmonary oedema are attached in Appendices 29, 30, and 31.

- 5.26 Individuals who had mild symptoms were managed at the field hospitals of Talmenes, Jarjenaz, Al Tamanah, and Kafr Zita. All these individuals responded well to the administration of oxygen. Those with moderate symptoms benefitted from nebulisation with the bronchodilator salbutamol, and the intravenous steroids hydrocortisone or dexamethasone. Supportive treatment was also provided by means of intravenous fluids and airway suction to remove copious secretions from the respiratory tract. Most of these individuals were discharged from hospital after two to three hours. An example of the treatment provided to one of the patients is attached in Appendix 28.
- 5.27 Individuals with severe symptoms required intubation and mechanical ventilation. Such facilities were not available at the field hospitals, and therefore all individuals requiring intensive care were transferred to hospitals in Saraqueb and Bab Al-Hawa. As these hospitals too had limited resources, they had to further transfer the most severe cases to outside the Syrian Arab Republic for further medical management. The most severe cases were those of the families whose houses were struck. Every member of these families who was in the house at the time experienced severe symptoms. Five members of the family in the first house and two members of the family in the second house had to be transferred to higher medical echelons for further management. Out of these seven severely exposed persons, three died, including a 65-year-old woman, a teenage girl, and a seven-year-old boy, who was cyanosed at the time of presentation to the hospital and died within an hour or so of exposure. The autopsies of two of these three individuals were conducted outside the Syrian Arab Republic, where they died.

Al Tamanah

- 5.28 The village of Al Tamanah is located in the Idlib Governorate of the Syrian Arab Republic. The village is currently under the control of opposition groups. The village population is estimated to be around 20,000. A large number of village residents have moved to other areas within or outside the Syrian Arab Republic. Similarly, 5,000 to 10,000 IDPs have moved from other parts of the country to this village.
- 5.29 The Mission interviewed 14 individuals from this village between 28 August and 2 September 2014. Individuals interviewed were those who were directly affected by exposure to the chemical or who helped in the evacuation of or provided first aid or medical care to those affected. Interviewees drew sketches, marked maps, and

³ SpO₂ = peripheral capillary oxygen saturation.

provided photographs and videos in support of their testimony. There were no minors in this group. Among the interviewees, seven persons were exposed to the toxic chemical immediately at the impact sites and suffered adverse effects. This includes five first responders who evacuated casualties from the impact sites. Three people, including two ambulance drivers and one witness from the neighbourhood evacuating casualties in his personal car, suffered secondary contamination. They were contaminated from the vapour off-gassing from the clothing of primary casualties. The details of the interviewees are given in Table 3 below.

TABLE 3: AGE AND GENDER DISTRIBUTION OF INTERVIEWEES, AL TAMANAH

| No. | Interviewee | Age | Gender |
|-----|--------------------------|-----|--------|
| 1. | Treating physician | 31 | Male |
| 2. | Treating physician | 39 | Male |
| 3. | Medical assistant | 32 | Male |
| 4. | Witness/casualty | 33 | Male |
| 5. | First responder/casualty | 30 | Male |
| 6. | Casualty | 23 | Female |
| 7. | Witness | 30 | Male |
| 8. | Casualty | 28 | Female |
| 9. | Nurse | 31 | Male |
| 10. | Witness | 41 | Male |
| 11. | First responder/casualty | 23 | Male |
| 12. | Casualty | 23 | Male |
| 13. | Casualty | 34 | Male |
| 14. | First responder/casualty | 35 | Male |

- 5.30 The incidents that could be recalled by the interviewees occurred in the months of April and May 2014. All of the places of impact described by this group of interviewees are located in the village of Al Tamanah. Some interviewees marked the impact points on maps provided by the Mission. This matched the information that was already available to the Mission. The details of five incidents that could be recalled by interviewees are reflected in Table 4 below.

TABLE 4: CHRONOLOGY OF INCIDENTS IN AL TAMANAH VILLAGE

| Incident | Date | Time | Place of impact | No. of patients | Deaths |
|----------|-------------|-------------|-------------------|-----------------|--------|
| First | 12.04.14 | 22:45 | Residential house | 25 | – |
| Second | 18.04.14 | Night | Residential house | 70 | 4 |
| Third | 29–30.04.14 | Night | Residential house | 35 | – |
| Fourth | 22.05.14 | 10:00–11:00 | Residential house | 12 | 4 |
| Fifth | 25–26.05.14 | Night | Residential house | – | – |

- 5.31 The description of all of the incidents is similar to that narrated by the residents of Talmenes. Like the narrative from Talmenes, the following represents the story as told by the residents of Al Tamanah. Here, all but one of the attacks happened during the night. Though people said they were unable to see the helicopters, they heard the sound. This was followed minutes later by warnings on hand-held radios about

impact points and the release of chemicals. Some people, who lived close to the impact points and who were exposed, smelled the typical odour of chlorine immediately after the impact of the munitions and tried to escape. The interviewees stated that the public, over a period of time since the outbreak of hostilities in the Syrian Arab Republic, had been educated by local emergency response committees through pamphlets and public address systems about the precautions that needed to be taken in cases of conventional attacks. Warnings to take precautionary measures were issued over hand-held radios to all residents whenever helicopters approached their villages or towns. The first reaction of residents is to seek shelter in basements to protect themselves from flying shrapnel and debris. In case of an attack involving toxic chemicals, people were advised to escape upwind of the point of impact and to higher elevations.

- 5.32 The witnesses said that, when released, bombs containing toxic chemicals produce a distinct whistling sound as they fall. On impact, these bombs explode, but the explosion is very low in intensity as compared to conventional barrel bombs that produce a loud bang and widespread destruction. The Mission was informed that conventional munitions usually destroy multiple houses in the areas where they impact, as compared to the toxic chemical munitions that only create a relatively small crater at the point of impact. The resultant crater is not very large and is usually 2 m in diameter; the surrounding structures do not have extensive damage. A significant number of such munitions had failed to explode. The design of these barrel bombs is improvised, with variations seen in the bombs that failed to explode. Essentially, these bombs have an outer encapsulating barrel with fins, which appears to be locally manufactured, and contain an inner chlorine cylinder that is of industrial production. At the time of impact, the outer barrel tears apart instead of splintering, while the neck of the chlorine cylinder where the valve is attached is damaged. For example, one barrel bomb design includes a chlorine cylinder, some yellow powder, and a blue detonation fuse, along with yellow-coloured powder packed tightly around the chlorine cylinder. Pictures and hand sketches provided by interviewees who had seen both unexploded and exploded munitions are attached in Appendices 12 to 20.
- 5.33 One of the interviewees was a member of the firefighting team and informed the Mission that, in incidents involving toxic chemicals, there were no resultant fires as is the case after a conventional attack.
- 5.34 Interviewees described the cloud seen by them during an attack that occurred in the daytime on 22 May 2014. The gas cloud was white to yellow coloured, shaped like a tree, reached a height of approximately 40 m, moved slowly in the direction of the wind, and settled towards the ground. The cloud during the night-time attack could not be seen by any of the interviewees, but the atmosphere is described as “dusty and suffocating”. The Mission was also informed of one incident in which the local hospital had to be vacated when the gas cloud was moving towards the hospital along with the air current.
- 5.35 The emanating smell was described to the Mission as irritating to the eyes and nose, typical of chlorine, or similar to the strong household cleaning agent, bleach. This odour immediately induced coughing and a feeling of suffocation among all who were exposed. The odour was absorbed by the clothes worn by people and was also

reported by hospital staff as emanating from people who sought medical aid. The hospital staff who treated these casualties were also cross-contaminated and suffered symptoms of exposure. One first responder described the intensity of this odour to be so strong that “I felt as if my head would explode from the smell”.

- 5.36 The Mission was informed that, after the chemical incidents were reported, the ambulances attached to the local hospital in this village, which is called the “Hanin medical point”, were dispatched to rescue those who had been exposed. Simultaneously, volunteers from the neighbourhood used their private vehicles to evacuate people to the hospital. Though the evacuation to the village hospital was quick and efficient as neighbours and volunteers contributed to the effort, the evacuation to neighbouring villages or higher medical echelons took a long time. This happened because the roads were in a condition of disrepair and journeys were therefore measured in terms of time rather than distance. For example, a 30 km journey for an ambulance carrying a patient took more than one hour to reach its destination and vehicle failures were common en route.
- 5.37 The Hanin medical point is run by the Hanin medical charity, and mainly manages wartime traumatic injuries and common medical conditions. There are 14 employees at this medical clinic, including an anaesthetist and cardiologist. The hospital has limited equipment and other medical resources and is equipped to provide basic medical care only. The hospital has one operating room with anaesthesia equipment and basic surgical instruments. Additionally, the hospital has six rooms, some eight to 10 beds, a number of oxygen cylinders, neonatal intensive care units (incubators) for premature babies, and other medical monitoring equipment. There is only one ambulance, which is equipped with an oxygen cylinder and managed by a nurse and a driver, with a capacity to transport two patients at a time. Whenever a large number of people simultaneously arrive at the clinic seeking medical aid, as happens during attacks with chemicals, the hospital staff and resources are overwhelmed. Because there are not enough beds, people are asked to lie on the floor, where they are treated. Though the hospital maintains a register of all patients seeking treatment, during emergency situations involving multiple casualties, the focus of hospital staff is on providing medical care and evacuating people. Patients who need more extensive medical care such as intubation and artificial ventilation are referred to Saraqueb and Bab Al-Hawa, and even outside the Syrian Arab Republic, for treatment.
- 5.38 From the testimonies collected, the Mission found that the predominant symptoms among those who were exposed to the toxic chemical were coughing, shortness of breath, and tearing of the eyes. Patients also reported a burning sensation in the eyes, redness of the eyes, increased nasal discharge, foaming at the mouth, burning sensation on the face, tightness of the chest, fatigue, a feeling of panic, headache, vomiting, diarrhoea, and in cases of severe exposure, loss of consciousness. The severity of symptoms in some who were in the vicinity of the impact site increased as they were being rescued. The Mission’s conclusion in its previous report concerning the possibility of the use of chlorine, either pure or in mixture, is partly based on this symptomatology of gastrointestinal effects along with respiratory symptoms.
- 5.39 There is no established procedure or designated area at the Hanin medical point hospital for showers or washing arrangements to decontaminate individuals who

suffer exposure. During all of the incidents, the only decontamination measures were to wash the face and other exposed parts of body with soap and water. In a few instances, carbonated drinks such as 7Up or Coca-Cola were used for decontamination, but the reason for this choice could not be explained by the interviewees. They follow this method based on hearsay about its efficiency. However, as seen in video recordings, small children were more thoroughly decontaminated by removing all their clothing and bathing them with soap and water. The unique method of decontamination with carbonated drinks was reported by other interviewees also.

- 5.40 The treating physicians informed the Mission that a large number of individuals who sought medical aid had no adverse clinical signs other than anxiety. Those who were in the immediate vicinity and had inhaled larger amounts of the chemical presented with severe coughing, increased tracheal secretions, bilateral lung crepitations, and cyanosis. There were no signs of physical trauma on the bodies of any of the casualties who reported to the hospital seeking medical aid after exposure.
- 5.41 Most people who sought medical aid did so because they were in a state of panic and responded well to the first aid provided, consisting of moving the casualties to fresh air, decontamination, and giving reassurance. The treatment provided to others demonstrating clinical signs included oxygen inhalation, nebulisation with the bronchodilator salbutamol, intravenous steroids hydrocortisone and dexamethasone, along with intravenous fluids. The treatment provided was effective and the patients' medical status improved quickly. However, among those who were severely exposed, the response to treatment was poor. These individuals required intubation and artificial ventilation, and therefore needed to be referred to higher medical echelons. Some severe cases did not survive the exposure. Based on information provided by the interviewees, the Mission was able to document eight deaths from two separate incidents in this village.
- 5.42 The treating physicians diagnosed people based on history, presenting symptoms, clinical examination, and response to treatment. No biomedical investigations or chest radiographs could be carried out at the Hanin medical point because of a lack of such equipment. The chest radiographs that were performed at referral hospitals reveal pulmonary oedema, as told by the treating physicians.
- 5.43 The treating physicians who were interviewed did not bring along with them any patient registration documents or other documents related to treatment of patients. However, a number of videos of incidents recorded on different dates by the interviewees themselves were provided to the Mission. These videos show people suffering from the effects of toxic gas inhalation being decontaminated, being provided treatment, and being transferred to other hospitals. The treating physicians interviewed can be seen in these videos.
- 5.44 The Mission was informed that the medical staff had access only to surgical masks and gloves for their own protection and that they were also contaminated from chlorine emanating from people's clothes. The symptoms suffered by medical personnel were not severe and were relieved upon reaching fresh air. However, the ambulance drivers and nurses who had participated in the rescue and evacuation of

people to the hospital were more severely affected, with some of them requiring oxygen therapy to relieve symptoms.

- 5.45 The members of two families, each consisting of four people, died shortly after separate attacks involving the toxic chemical.
- 5.46 During the attack in the night of 18 April 2014, the father, mother, and two teenage children (a boy and a girl) died. The parents had died almost immediately after the attack. The two children, who were in a critical condition, were referred to hospitals outside the Syrian Arab Republic for better medical management and died at the referral hospital.
- 5.47 In another case, a mother aged 30 years, her sister aged 16 years, and two children (a five-year-old girl and a four-year-old boy) belonging to the same family died in an attack. The autopsy for the male child aged four years was conducted on 23 May 2014 outside the Syrian Arab Republic. The mother had died in the ambulance while being transferred, her sister died in Talmenes hospital, and the girl died at Saraqueb hospital.
- 5.48 Members of both these families were IDPs who had taken refuge in Al Tamanah.
- 5.49 In respect of the effect on animals, birds, and plants, the interviewees informed the Mission that the leaves of trees and plants in the immediate vicinity of locations where toxic chemicals were released turned yellow in colour and became dry. Domestic livestock, pigeons, and chickens of these households were also exposed to the gas cloud and died immediately or soon after exposure.
- 5.50 One female, a housewife, informed the Mission about the fading of the colour of the clothes that were worn and the change in the feel of the fabric after washing. Another female, also a housewife, said that the dark clothes that she and her family members were wearing at the time of exposure developed white spots.
- 5.51 The witnesses provided the Mission with multiple video clips that they had filmed. They also drew sketches of the munitions and located the impact points on the village map. A sketch listing the impact points is provided in Appendix 10.
- 5.52 Mission personnel asked the interviewees who were exposed about their current medical status. None of the interviewees had any remaining symptoms from the time of exposure and all were in good physical health at the time of the interviews.
- 5.53 One of the witnesses provided the Mission with three different materials taken from one of the munitions and its vicinity. One sample was a yellowish-brown powder (possibly ammonium nitrate) drenched in and with a strong smell of organic solvent (possibly benzene), the second sample was metallic scrapings from the body of the munition, and the third was twigs and leaves from a nearby tree. These samples could not be accepted on account of chain of custody issues.

Kafr Zita

- 5.54 Kafr Zita is a town in the north of the Syrian Arab Republic, administratively part of the Hama Governorate, located 30 km north of Hama with a population originally of some 18,000 residents; the number has decreased as a result of the conflict. This town is not under the control of the Syrian Government. Most of the houses in the village are single storey and infrastructure such as roads, electricity supply, and water supply is in a state of disrepair. Kafr Zita has frequently been the subject of reports concerning attacks involving chlorine. The Mission was informed by witnesses that the village had suffered hundreds of conventional attacks since the start of the current conflict in the Syrian Arab Republic, as well as frequent attacks involving toxic chemicals.
- 5.55 Mission personnel interviewed and collected testimonies from nine individuals comprising two treating physicians, two nurses/first responders, and five witnesses/casualties. All individuals interviewed were also witnesses to incidents. The testimonies of this group were collected between 2 and 5 September 2014. All individuals interviewed were either directly affected by exposure to the chemical, helped in the evacuation of casualties, were given first aid, or were given definitive medical care. Among the interviewees, all individuals except for three agreed to be interviewed and recorded both in audio and video format. The three who declined to be recorded on video consented to be interviewed in audio format. Among this group, there were two minors (a boy and girl, brother and younger sister) who were not accompanied by a parent or guardian. At the insistence of the boy, Mission personnel agreed to record his statement in audio format. The team did not cross-examine this individual. As the boy was underage, the interview consent form was not signed and the discussion in this context was recorded. The boy is among the three who agreed that the interview was to be recorded in audio format only. Though the boy gave a statement consistent with other interviewees, his statement is not included in the assessments conducted by the Mission. The age/gender distribution of interviewees is provided in Table 5 below.

TABLE 5: AGE AND GENDER DISTRIBUTION OF INTERVIEWEES, KAFR ZITA

| No. | Interviewee | Age | Gender |
|------------|-----------------------|------------|---------------|
| 1. | Treating physician | 44 | Male |
| 2. | Treating physician | 44 | Male |
| 3. | Witness | 27 | Male |
| 4. | First responder | 21 | Male |
| 5. | Casualty | 19 | Male |
| 6. | Casualty | 30 | Female |
| 7. | Casualty | 21 | Male |
| 8. | Casualty | 50 | Female |
| 9. | Nurse/first responder | 35 | Male |

- 5.56 The town of Kafr Zita had until recently two hospitals, called Eastern and Western hospitals in accordance with their location within the town. They are also known as hospitals Number 5 and 6, respectively. On 22 May 2014, the Western hospital

(hospital Number 6) came under attack from toxic chemicals, in which the medical staff also suffered symptoms of exposure. Witnesses also reported that the Eastern hospital (hospital Number 5) came under conventional attack on 22 June 2014 and was completely destroyed. Kafr Zita currently only has one functioning hospital, the Western hospital, though the upper floors of the three-storey buildings are unusable.

- 5.57 The Western hospital was established some 10 years ago but was converted to a general hospital recently, after the outbreak of the conflict. Medical care is provided to everyone in the region and the hospital also treats patients from Zour Al-Hisa, near the Al-Rayd region located between Taybat Al-Imam and Latamneh, from Halfaya, and from Morek. The ground floor of the hospital has three operating rooms: one for general surgery, a second for orthopaedic surgery, and a third for gynaecology. Also on this floor is an intensive care unit with three beds, a ward with two beds, a radiograph imaging room, and an emergency room. A waiting room is located in the centre of the hospital. The first and second floors have no windows or doors as a result of damage caused when a conventional munition exploded some 15 m from the hospital. The first and second floors have six beds each, but patients are generally not admitted to these floors. To prevent any further physical damage to the hospital, a reinforcing wall has been built around the ground floor and two rock walls have been erected in front of the hospital.
- 5.58 The hospital has extremely limited resources in terms of equipment, drugs, and other medical supplies. For example, the hospital has a total of only 30 oxygen cylinders. These numbers were augmented after 11 April 2014 when, after an appeal, donors supplied oxygen cylinders, nebulisers, antidotes, cortisones, and protective masks. The medical staff include one cardiologist, two general surgeons, two orthopaedic surgeons, two resident physicians, two medical interns, two radiograph imaging technicians, two anaesthetic technicians, approximately 10 nurses, three cleaning staff, and one cook. The hospital vehicle fleet has six ambulances and four pick-up trucks that are used for medical evacuation. Each ambulance is staffed with a driver and an assistant. In the event of a need for more ambulances, these are requested from the neighbouring hospitals of Kafr Nabouda and Latamnah, and the Al-Rahma hospital in Sheikh Mustafa.
- 5.59 Kafr Zita and its neighbourhood have been subjected to some 17 attacks involving the use of toxic chemicals, with the first attack occurring on the night of 10 April 2014 and the latest incident being reported to the Mission on 30 August 2014. Because of the frequency of these attacks and constantly living in a war zone, the witnesses had essentially lost their sense of the dates and times of the various incidents. Witnesses informed the Mission that all except one of the attacks (which happened between 18:00 and 19:00 on 11 April 2014) occurred at night. An opinion was expressed that in the Kafr Zita area, the air movement is minimal at night-time and allows chlorine to hang in the environment for longer. Furthermore, the night provides relative safety to the attackers. The weather conditions on the dates of the attacks were described as typical for the season, with temperatures ranging between 20 and 30° C. The details of attacks that were confirmed by multiple interviewees are provided in Table 6 below.

TABLE 6: CHRONOLOGICAL LISTING OF ATTACKS WITH BARREL BOMBS CONTAINING TOXIC CHEMICALS THAT COULD BE RECALLED AND CONFIRMED BY MORE THAN ONE INTERVIEWEE

| No. | Date | Place | Time | No. of Patients |
|-----|------------------|-----------------|-------------------|-----------------|
| 1. | 10-11 April 2014 | Kafr Zita | Midnight | 12 |
| 2. | 11 April 2014 | Kafr Zita | 18:00 – 19:00 hrs | |
| 3. | 12 April 2014 | Kafr Zita | 21:00 – 22:00 hrs | 5 |
| 4. | 14 April 2014 | Halfaya | 23:00 hrs | 4 |
| 5. | 16 April 2014 | Al-Zowar region | 22:00 hrs | 5 |
| 6. | 18 April 2014 | Kafr Zita | 22:30 hrs | 35 |
| 7. | 19 May 2014 | Kafr Zita | 20:00 hrs | 2 |
| 8. | 21 May 2014 | Kafr Zita | 20:00 hrs | 4 |
| 9. | 22 May 2014 | Kafr Zita | 20:00 hrs | 38 |
| 10. | 29 May 2014 | Latamnah region | Night | 17 |
| 11. | ?? June 2014 | Morek frontline | – | – |
| 12. | 27 July 2014 | Kafr Zita | 19:00 hrs | – |
| 13. | 28 August 2014 | Kafr Zita | 21:30 – 22:00 hrs | – |
| 14. | 30 August 2014 | Kafr Zita | – | – |

- 5.60 The Mission was informed by the witnesses that toxic chemicals were used by means of barrel bombs that were not of standard design and appeared to be improvised. Some had seen and photographed these bombs, both those that had exploded and those that failed to function as designed. The design of these barrel bombs varies, but essential components include an outer shell with fins at the tail end; an inner cylinder usually painted in yellow and filled with chlorine and in some instances marked with the symbol “CL2”. The length of barrel bombs is approximately 2 – 2.5 m with an inner diameter of approximately 1 m. The detonation mechanism varies from single to multiple detonators. The newer barrel bombs also have a container with a liquid and powdery substance that is yellowish-brown in colour. The Mission was provided with a video made of one such device. This video shows a cylinder, a liquid container marked with “97-99% purity H₂SO₄”, and a light yellow-brown powdery substance. The identity of the powdery substance could not be confirmed by the presenter in the video as there is no local analytical capacity. A sketch and screen-grab picture of this particular assembly of barrel bomb by one interviewee are provided in Appendix 19.
- 5.61 The interviewees informed the Mission that, when thrown from helicopters, the falling cylinders produced a whistling sound akin to a diving fighter aircraft. A number of these devices failed to explode. Those that did produced a muted/low intensity explosion, rupturing the outer barrel and damaging the valve on the chlorine cylinders. The damage to structures is only seen at the point of direct impact; other structures in the vicinity escaped physical damage. A video of the point of impact provided to the Mission shows a crater of 3.6 m diameter and 1.4 m depth, with minimal damage to buildings in the vicinity. A screen-grab picture from a video of one such impact site provided by an interviewee is shown in Appendix 21.

- 5.62 Most of the individuals from this town who were interviewed reported witnessing the attack that occurred during daylight. The gas that was released during this attack was described by interviewees as being yellow in colour. The gas cloud initially rose to some 50 to 60 m high and then settled towards the ground, moving in the direction of the air current. The smell of the gas was typically described as strong, pungent, and chlorine-like, with some interviewees comparing it to the smell of household cleaning agent but many times stronger. The Mission was informed that the peculiar odour was noticeable from a significant distance. This odour disappeared from the area in normal weather conditions after a gap of some 30 to 45 minutes.
- 5.63 The Mission was told that the public was informed about imminent attacks through messages relayed on hand-held radios. Spotters would communicate information about movements of aircraft. On receiving such information, specifically for the Kafr Zita area, the local people would escape and take refuge in basements to shield themselves from frequent attacks involving conventional munitions. Once the attack happened, another message would again be relayed by the spotters in the vicinity, giving the location and type of attack and further instructions on safety precautions.
- 5.64 Witnesses in this group recounted the frequency of attacks, the life of isolation, and the lack of essential services as extremely stressful conditions. They could not recall the dates of all the attacks; the data compiled by the Mission was based on an analysis of all of the testimonies, and was also extracted from the medical records provided by the treating physicians.
- 5.65 One incident was related in detail by the family members and a relative of the household whose house the munition struck, and was corroborated by other interviewees. This incident, as communicated to the Mission, is described below.
- 5.66 The incident occurred on 27 July 2014 “one day before the end of Ramadan and a few minutes before the time to end the daily fast”, at around 19:00. The bomb struck the house of a relative of one of the witnesses. The family that was exposed to toxic chemicals and interviewed had taken refuge in the basement of the house as protection against a conventional attack. The bomb containing the toxic chemical impacted some 50 m from their place of refuge. The explosion was not loud. This basement is approximately 10 x 10 m in size and has two doors, one opens to the north and the other to the south-east. The door on the south east opens onto a street that is at a higher elevation than the street on the north. After the toxic release, a message was again conveyed to the public on hand-held radios to escape to higher ground, rather than staying in basements. Individuals who tried to escape using the door facing north ran into the cloud of chlorine that was being carried by the air current from north to south. As a consequence, these individuals were exposed to higher concentrations of chlorine and suffered more severe symptoms. This same basement shelter was destroyed in a direct hit the next day with a conventional bomb and a cluster bomb.
- 5.67 The medical documents provided to the Mission by the treating physicians list documentary details of patient names, dates of attack, location, diagnosis, treatment provided, and the name of the treating physician. An example of these medical documents is attached in Appendix 28. The compilation of these medical documents

is provided in Table C (see Attachment), which shows that 122 individuals were treated at Kafr Zita on various dates. The names of casualties have been anonymised.

- 5.68 Each attack with toxic chemicals produced multiple victims who complained of symptoms of respiratory insufficiency. People who were affected did not have any signs of physical injury to their bodies, except for one elderly man. This person presented with symptoms of inhalation of toxic gas along with a head injury from falling rubble, and died en route while being transferred outside the Syrian Arab Republic for medical treatment. His 25-year-old daughter, who was exposed to severe concentrations of chlorine in the same incident, died a few days later despite being transferred and treated outside the Syrian Arab Republic.
- 5.69 The symptoms of those affected varied from mild or moderate to severe, depending on proximity to the point of release of toxic chemical, the amount of gas inhaled, and the duration of exposure. The young and elderly patients showed relatively more severe symptoms. Most individuals presenting at the hospitals for treatment had mild to moderate exposure, and a few showed severe symptoms.
- 5.70 The common presenting symptoms included coughing, difficulty breathing, rapid breathing, rapid pulse and palpitation, foaming at the mouth, redness of the eyes, burning sensation in the eyes, tearing, vomiting, pain in the throat, hoarseness, itching in the nose and on exposed skin, anxiety, drowsiness, headache, and loss of consciousness. The most severe cases had haemoptysis, with pulse oximetry readings below 80%, and the treating physicians informed the Mission that the chest radiographs showed non-cardiogenic pulmonary oedema. These individuals developed Acute Respiratory Distress Syndrome. Most of the severely affected also presented with an immediate history of unconsciousness. All severe cases had to be managed in the intensive care unit of the hospital and needed assisted respiration. A few people were exposed to similar incidents more than once and the second time suffered more severe symptoms and needed treatment for a longer duration.
- 5.71 The decontamination method available to people was washing exposed areas of skin with soap and water. The hospital in Kafr Zita does not have an established procedure or the facilities to carry out mass decontamination.
- 5.72 All individuals presenting at the hospital who had suffered exposure had a pungent and strong smell of chlorine emanating from their clothes. As the protective measures available to the hospital staff were limited to latex gloves and surgical masks, some staff members were cross-contaminated and suffered the effects of inhaling vapour emanating from the clothes of patients. First responders are rarely equipped with protective gas masks and thus use improvised methods to protect themselves, such as using wet towels when rescuing and evacuating people. The medical workers who were instrumental in the evacuation of the affected also invariably suffered some clinical effects. The common symptoms experienced by the hospital staff included coughing, difficulty breathing, tearing, redness of the eyes, and pain in the throat. Most of those who were cross-contaminated suffered from mild symptoms and obtained relief with first aid. No cross-contaminated staff required intensive treatment or transfer to a higher medical echelon.

- 5.73 The treating physicians' observation of clinical signs include coughing, rhinorrhea, redness of the eyes, excessive lacrimation, cyanosis, increased tracheal secretions, agitation, tachypnea, and bilateral crepitations in the pulmonary lobes. All those exposed had compromised values of pulse oximetry: those with minimal exposure had SpO₂ readings above 85%, while the most severe cases had SpO₂ readings of around 70%. Cyanosis, haemoptysis, lung crepitations, and pulmonary oedema were observed in those individuals who had been exposed to severe concentrations. The level of pulmonary oedema in severe cases was observed to increase in sequential clinical examinations and chest radiographs. None of those who presented with a history of exposure to chemical agent had any physical injury on their bodies except for the elderly man, who also suffered a head injury during the incident.
- 5.74 Mild and moderate cases were discharged from the hospital after receiving first aid. Severe cases were either detained locally in the hospital or transferred to a higher medical echelon outside the Syrian Arab Republic. The severe cases were kept in hospital and treated intensively for up to three weeks.
- 5.75 Treatment for individuals who had been exposed consisted essentially of oxygen inhalation, exposure to fresh air, nebulisation with bronchodilators, intravenous hydrocortisone and dexamethasone, intravenous fluids, and anti-emetics. Most individuals with mild symptoms were given treatment as out-patients and discharged. Those with moderate symptoms were also treated as out-patients but had to come for nebulisation therapy over many days to help improve the respiratory effort.
- 5.76 Besides harming humans, the toxic chemical also killed livestock and domestic birds, including chickens and pigeons. The trees in the vicinity were also affected as their leaves turned yellow and dried, and fruit on trees dropped to the ground. Furthermore, household items such as mattresses and clothes absorbed the smell of chlorine and were left unusable.
- 5.77 The individuals who were interviewed and had been exposed to toxic chemicals did not complain of any continuing medical issues post-incident, except for occasional bouts of coughing and generalised weakness. At the time of the interviews, none of these individuals was continuing with any medicines that had been initially prescribed. A discussion between the medical specialists in the Mission led to the conclusion that any medical examination of this group would be fruitless.

6. DISCUSSION OF INCIDENTS

- 6.1 The Mission has compiled statistical data that has emerged from the testimonies of interviewees. These statistics are provided in Table 7 below.

TABLE 7: OBSERVATIONS BY THE INTERVIEWEES

| Observation | Talmenes | Al Tamanah | Kafr Zita |
|--|----------|------------|-----------|
| Saw/heard the helicopter | 12 | 14 | 6 |
| Heard the barrel bomb falling | 10 | 11 | 5 |
| Saw the barrel bomb or its remnants | 4 | 8 | 2 |
| Mentioned muted sound of explosion | 6 | 4 | 5 |
| Smelled the chlorine/odour | 13 | 10 | 6 |
| Saw the yellow cloud or dust | 10 | 10 | 6 |
| Insignificant damage to surrounding structures | 5 | 3 | 4 |
| Large number of casualties | 13 | 11 | 6 |
| Dead animals | 7 | 1 | 1 |
| Vegetation damage | 8 | 6 | 2 |
| Bleaching of clothes | 3 | 2 | 0 |

- 6.2 Of a total of 37 interviewees, 32 saw or heard the sound of the helicopter over the village at the time of the attack with barrel bombs containing toxic chemicals. Twenty-six individuals heard the peculiar (whistling) sound of the falling barrel bombs containing toxic chemicals. Individuals who did not see or hear the helicopter or the sound of the falling barrel bomb were indoors. Sixteen, mostly men, visited the impact site later and saw the barrel bomb or its remnants.
- 6.3 The loudness of the explosion from barrel bombs containing toxic chemicals was described by 15 interviewees as relatively low in comparison to the loud explosion of a conventional bomb. The residents of these places are accustomed to the sounds of different explosions and clearly distinguished the intensity of sounds.
- 6.4 The colour of the gas cloud that was released after the barrel bomb containing toxic chemicals impacted with the ground is described by 26 individuals. This colour is described as ranging from honey coloured to yellow to whitish outer with yellow centre, to greenish. As a large number of such attacks happened during night-time, it was not possible for some interviewees to comment on the colour of the gas cloud. A large number of individuals, 29, smelled the distinctive odour of the gas cloud. This odour is mainly described as intense, chlorine-like, similar to cleaning material used for cleaning toilets but much stronger, and the odour disappears after some time from the air but remains longer in absorbent material such as a mattress.
- 6.5 Thirty interviewees provided information about a large number of casualties resulting from attacks with barrel bombs containing toxic chemicals. All medical staff, from ambulance drivers to treating physicians, mentioned a large number of casualties. These casualties were documented in different hospitals at which they sought medical aid. The primary reason for there being mass casualties is that people did not have adequate knowledge to escape upwind and to higher ground, and ended up hiding in basements and such where the chlorine, which is denser than the atmosphere, settled. Furthermore, the delayed awareness of attacks at night-time and bombs impacting on residential areas also contribute to mass casualties. In all these incidents, medical staff specifically observed an absence of physical injuries in those who were exposed, and informed the Mission to that effect.

- 6.6 Most of the medical staff suffered from some symptoms of exposure when transporting casualties or providing aid to them. It was a common observation that medical staff were affected by the intense smell of chlorine emanating from the clothes of people who were exposed during an attack. It should be noted that patients were not decontaminated before being brought inside the hospital; the medical staff did not have specific chemical protective equipment and had to use surgical masks and latex gloves that do not provide any protection from toxic chemicals. The intensity of symptoms suffered by medical staff was mild to moderate, with most reporting tearing and rhinorrhea. These symptoms were relieved in all cases by moving outside into the fresh air. However, the symptoms experienced by ambulance drivers were relatively more intense than those of other medical staff, as the drivers transported multiple casualties straight from the attack location during the same trip and in the enclosed space of an ambulance.
- 6.7 Twelve interviewees described and compared the destructive force and damage caused by barrel bombs containing toxic chemicals to conventional munitions. This damage was minimal and limited to adjoining structures in comparison to attacks involving conventional munitions, in which many houses in the neighbourhood are destroyed. The lack of extensive damage to surrounding structures can be observed in multiple videos of impact sites provided to the Mission. This can be seen in the impact point screen-grab from the video provided in Appendix 21. There was also a comparison by several interviewees concerning the splintering effect observed in conventional munitions as compared to barrel bombs containing toxic chemicals, which essentially “open up and do not disintegrate”. A screen-grab from video footage of such an opened-up barrel bomb is provided in Appendix 16.
- 6.8 Nine individuals who were residents and neighbours at the impact sites described the death of livestock and birds. The birds (chickens and pigeons) in these houses died immediately on exposure to gas. The smaller animals such as calves, goats, and sheep also died within minutes to an hour of exposure to toxic chemicals, whereas the larger animals, adult cows, died after some eight to 10 hours.
- 6.9 Sixteen interviewees, mostly those who lived in or adjacent to houses where barrel bombs containing toxic chemicals impacted, described the adverse environmental effects. These included leaves drying, wilting, and changing colour to yellowish, as well as fruits dropping from the trees, immediately or within a short period of time. The statement of one witness describes such effects by saying “it appeared as though the trees had never been watered”.
- 6.10 Five of the interviewees mentioned the bleaching of dark-coloured clothes that were worn by their family members at the time of the incidents.
- 6.11 From the extensive testimonies provided to the Mission, individuals, while experiencing the same event, highlighted some observations according to the perspective of their own educational background, societal role, or profession. For example, housewives described the change in colour of dark clothes that became lighter as if bleached, a family noticed excessive/rapid/unusual rusting of household containers after some weeks, and a firefighter noticed the absence of fires in the attacks.

7. DISCUSSION OF MEDICAL SYMPTOMS, SIGNS, AND TREATMENT

- 7.1 The symptoms of exposure, the signs observed by the treating physicians, and the treatment that was provided to casualties are discussed below. These are based on interviewees' testimonies, as well as medical files handed over to the Mission.
- 7.2 The range of symptoms experienced by the casualties as a result of exposure to toxic chemicals included coughing, shortness of breath, tightness in the chest, suffocation, redness of the eyes, increased mouth and nose secretions, hoarseness of voice, agitation or disorientation, weakness, loss of consciousness, abdominal cramps, nausea, and vomiting. In a few cases, skin irritation (itching with/without rash) was reported. Table 8 below provides the frequency distribution of the reported symptoms. Symptoms that are similar but explained using different terminology are grouped together.
- 7.3 The common symptoms as reported by the treating physicians and nurses, or those observed by witnesses, are not included in these statistics. The symptoms that were experienced by only those interviewees who were exposed to toxic chemicals are reported here. The Mission did not ask the casualties any leading questions about symptoms and only those symptoms that were mentioned by casualties while narrating their experiences are reported.

TABLE 8: FREQUENCY DISTRIBUTION OF THE REPORTED SYMPTOMS AS EXPERIENCED BY THE CASUALTIES WHO PROVIDED THEIR TESTIMONY TO THE MISSION

| Symptom | Frequency of Occurrence (Reported/Total) | | |
|--|--|------------|-----------|
| | Talmenes | Al Tamanah | Kafr Zita |
| Coughing | 4/6 | 5/6 | 4/5 |
| Shortness of breath/difficulty breathing | 6/6 | 6/6 | 4/5 |
| Tearing, burning sensation in eyes | 6/6 | 5/6 | 3/5 |
| Nausea/vomiting | 1/6 | 6/6 | 4/5 |
| Disorientation | 5/6 | 1/6 | 1/5 |
| Loss of consciousness | 5/6 | 1/6 | 3/5 |
| Burning sensation on exposed skin/nose | 3/6 | 2/6 | 1/5 |
| Skin turned blue (cyanosis) | 2/6 | – | – |
| Frothy secretions from mouth | 2/6 | – | – |
| Feeling of tiredness | 2/6 | 3/6 | – |
| Feeling of constriction in chest | 1/6 | – | 3/5 |
| Feeling of panic | 1/6 | 1/6 | – |
| Headache | 1/6 | 1/6 | – |
| Nausea | 1/6 | 1/6 | – |
| Physical injuries | 0/6 | 0/6 | 0/6 |

- 7.4 The variety and intensity of symptoms experienced by casualties varied depending on the distance from the point of impact, duration of exposure, location (downwind or upwind), use of protective measures, and receipt of treatment in terms of time lapse and treatment availability. Individuals who were closer to the point of impact of barrels containing toxic chemicals experienced more diverse and intense symptoms.
- 7.5 Cumulatively, 13/17 experienced coughing, 16/17 had shortness of breath, 14/17 experienced burning in the eyes and tearing, 6/17 experienced a burning sensation in the nose or on exposed skin, 11/17 had nausea or vomited, and 9/17 lost consciousness.
- 7.6 It becomes evident from data analysis that the toxic chemical used at Talmenes affected predominantly the eyes and respiratory system, whereas in the villages of Al Tamanah and Kafr Zita, casualties also reported gastrointestinal symptoms. Gastrointestinal symptoms such as nausea and vomiting are the result of either reflex reaction to the exposure, as seen from the incidents in Talmenes, or could be due to a mixture of chemicals, as seen in Al Tamanah and Kafr Zita, where a large proportion of casualties reported such symptoms.
- 7.7 In low concentrations, toxic water-soluble chemicals (such as chlorine) cause irritation and have corrosive properties and on contact with eyes, moist skin, or on inhalation react primarily with mucous membranes/epithelium, causing sensory irritation leading to a feeling of burning, itching, tearing, and rhinorrhea. These were amongst the most frequently reported symptoms.
- 7.8 The respiratory symptoms among the casualties appeared almost immediately after the exposure to toxic chemicals and persisted for a few hours and in some cases for a few days. The cough was non-productive in the majority of cases. A productive cough with whitish to yellow expectoration and in some cases blood-tinged expectoration (haemoptysis) was seen in those who had been exposed to severe concentrations. A dry cough occurs as a result of irritation of the upper respiratory tract. When they affect the lower respiratory tract, toxic gases result in an excessive production of inflammatory fluids leading to expectoration. One of the immediate reactions to exposure to toxic (irritant or corrosive) chemicals is bronchospasm, whereby irritated smooth muscles of the bronchi induce constriction and the lumen of the respiratory tract becomes narrowed. In the case of chlorine, its oxidative properties and formation of hypochlorous and hydrochloric acid resulting from chlorine's reaction with water lead to damage of the parenchyma of the lungs. The damaged lung parenchyma filled with inflammatory fluid in conjunction with bronchospasm decreases the capacity for oxygen exchange. The narrowed lumen of the respiratory tract also leads to wheezing, which is the whistling sound produced by a narrowed respiratory tract. This results in symptoms of shortness of breath, increased respiratory rate, tightness of chest or chest pain, and expectoration. The bronchospasm thus induced is usually relieved by stopping the exposure to the toxic substance. However, the damage to the parenchyma of the lung, leading to pulmonary oedema depending on its extent, may require assisted ventilation for a prolonged period of time.

- 7.9 Though the Mission cannot determine the dosages and durations of exposure, according to available literature, chlorine can be smelled at a concentration of 0.1/0.2 ppm.⁴ Exposure to 1–3 ppm of chlorine produces primarily nose irritation lasting up to an hour; 5 ppm produces irritation of the eyes; 5–15 ppm irritates the throat and causes headache; 30 ppm leads to pain in the chest, nausea and vomiting, coughing, and difficulty breathing; and concentrations of 40–60 ppm lead to pulmonary oedema. Large doses of more than 400 ppm can cause death within 30 minutes and 1,000 ppm is fatal within a minute. Children are affected more severely as they inhale larger quantities of gas due to their greater lung surface area to body weight ratio and increased minute volume to weight ratios.
- 7.10 The reduced oxygenation also leads to central nervous system hypoxia (tissue oxygen deficiency), with patients complaining of symptoms of disorientation, agitation, weakness, headache, and altered levels of consciousness.
- 7.11 As reported by the treating physicians, a large number of casualties presented in a state of panic. This is attributable to the psychological effects of living in a conflict area with incidents of the use of toxic chemicals.
- 7.12 The treatment provided included oxygen therapy, application of intravenous fluids, and broncholytic and steroid therapy.
- 7.13 The mainstay of the treatment provided was oxygen, which provided relief to casualties within minutes. Oxygen relieves hypoxia in exposed patients and calms those who are in state of panic, thus bringing immediate relief. The efficacy of oxygen administration is evident in the readings of oxygen saturation seen in the available videos from hospitals that show improved SpO₂ values on inhaling oxygen.
- 7.14 The use of bronchodilators relaxes the constricted airways, thus improving oxygenation and relieving symptoms. The efficacy of steroids is unproven but is frequently used after exposure to toxic gases due to its anti-inflammatory effects.
- 7.15 The use of intravenous fluids (“serum”) as reported by a large number of casualties and physicians is more for providing quick access to the peripheral vessels for intravenous drug administration. Fluids replenishment in treating the effects of exposure to toxic gas or vapour seems to have less value, as the mechanism of action of those toxic substances does not create significant fluid loss or shift in the body. Moreover, in cases of pulmonary oedema, administration of fluids has to be carefully justified and weighted.
- 7.16 There were other medicines used for treatment, such as antibiotics, pain killers, and anti-emetics. The use of these drugs was based on the patients’ symptoms, medical status, and drug availability.
- 7.17 Cases of exposure to high concentrations of toxic chemical that developed pulmonary oedema required intensive airway management (intubation) and mechanical ventilation. Such treatment was not available at field hospitals but at higher medical echelons, namely, Saraqueb and Bab Al-Hawa, or outside the Syrian Arab Republic.

4

ppm = parts per million.

- 7.18 There were two cases—from two separate incidents in two different villages—involving casualties who were pregnant. Both babies were delivered normally on the expected delivery dates and were healthy.
- 7.19 The outcome of exposure to the toxic chemicals used was fatal in 13 cases (three in Talmenes, eight in Al Tamanah, and two in Kafr Zita). One had died immediately, nine en route to higher medical echelons, and three in a specialised hospital outside the Syrian Arab Republic. All these individuals were close to the impact site of munitions containing toxic chemicals.

Attachment (English only)

Attachment

DESCRIPTION OF EVIDENCE

1. Video MAH02613: A casualty discussing his medical condition after exposure to toxic chemicals.
2. Video MAH02649: A treating physician at an intensive care unit of the hospital taking a sample of tracheal secretions from a patient. The tracheal secretions in his opinion have dissolved blood.
3. Video MAH02650: A treating physician at an intensive care unit of the hospital taking a sample of tracheal secretions from another patient.
4. Video MAH02656: A treating physician at an intensive care unit of the hospital taking a sample of tracheal secretions from the third patient. The tracheal secretions in his opinion have dissolved blood.
5. Video MAH02657: A treating physician discussing the case of one casualty who has hypoxemia after exposure to toxic chemicals.
6. Video MAH02667: A treating physician discussing the case of another casualty who has hypoxemia after exposure to toxic chemicals.
7. Video MAH02708: A treating physician, an intensive care specialist, discusses the case of a 35-year old woman who is on assisted ventilation after exposure to toxic chemicals.
8. Video MAH02709: A treating physician discussing the case of another casualty who has hypoxemia after exposure to toxic chemicals. The chest radiograph, in his opinion, shows extensive bilateral pulmonary oedema.
9. Video MAH02710: A treating physician describing the condition of a pregnant woman who was among the casualties that were exposed to toxic chemicals.
10. Video MAH02745: Interview with the mother of a casualty giving her account of what happened to her daughter.
11. Video MAH02746: Continuation of video MAH02745.
12. Video MAH02747: A witness whose parents were exposed to toxic chemicals providing his account of the incident.
13. Video MAH02748: Continuation of video MAH02745.
14. Video MAH02753: A witness talks about the use of toxic chemical agents in Kafr Zita, the region of Hama, and in Talmenes, in the suburbs of Idlib.
15. Video MAH02754: A witness's video records of his travel between the village of Kafr Zita and Bab Al-Hawa.

16. Video MAH02755: Continuation of video MAH02754.
17. Video MAH02756: A witness video records his detailed plan about documenting his travel to the places where toxic chemicals were used.
18. Video MAH02757: Treating physicians account of casualties that reported to their hospital after one incident wherein toxic chemicals were used.
19. Video MAH02767: Continuation of video MAH02755.
20. Video MAH02768: Continuation of video MAH02767.
21. Video MAH02769: Continuation of video MAH02768.
22. Video MAH02770: A treating physician discusses the casualties of 11 April 2014 after their exposure to toxic chemicals.
23. Video MAH02771: A treating physician discusses the casualties of 11 April 2014 after their exposure to toxic chemicals.
24. Video MAH02772: Continuation of video MAH02771.
25. Video MAH02773: This video shows the point of impact of barrels.
26. Video MAH02774: Continuation of video MAH02773.
27. Video MAH02775: Video of the remnants of barrel bombs.
28. Video MAH02776: The impact point of barrel bombs on 18 April 2014.
29. Video MAH02777: Continuation of video MAH02776.
30. Video MAH02778: A witness travelling from one village to another.
31. Video MAH02779: The impact point of barrel bombs on 11 April 2014.
32. Video MAH02780: The village of Kafr Zita.
33. Video MAH02781: A witness heading towards Talmenes.
34. Video MAH02782: A witness travelling from one village to another.
35. Video MAH02783: A witness travelling from one village to another.
36. Video MAH02786: A treating physician discussing the casualties that were exposed to toxic chemicals.
37. Video MAH02787: The impact point of barrel bombs on 21 April 2014.
38. Video MAH02788: Impact point of the first barrel bomb in Talmenes village.
39. Video MAH02790: Travel video of a witness.

40. Video MAH02791: Video from the Bab Al-Hawa hospital.
41. Video MAH02807: A pregnant casualty describes the incident and her exposure to toxic chemicals.
42. Video entitled "Coverage of the attack with chlorine toxic gases - The Syrian Media Centre": A video about the attack with barrel bombs containing toxic chemicals.
43. Video entitled "Talmenes - suburbs of Idlib - injury of children due to the attack with chlorine toxic gases": Casualties being treated at the hospital.
44. Video entitled "Attack on Talmenes village in the suburbs of Idlib with chlorine toxic gas": A video about the attack on the Talmenes village with toxic chemicals.
45. Video entitled "Attack on Talmenes village in the suburbs of Idlib with chlorine toxic gas 2": Same as the previous video.
46. Video 3: The video shows the village of Mashashyah.
47. Video 00050: Video of casualties after exposure to toxic chemicals.
48. Video 00051: Video of casualties after exposure to toxic chemicals.
49. Video 00052: A witness describes the incident of the use of toxic chemicals.
50. Video 00053: Casualties being treated at the hospital.
51. Video 00054: Casualties being treated at the hospital.
52. Video 00056: Casualties evacuation to the hospital.
53. Video 00057: A treating physician discussing the casualties that were exposed to toxic chemicals.
54. Video 00058: A treating physician discussing the casualties that were exposed to toxic chemicals.
55. Video 00060: Casualties being treated at the hospital.
56. Video 00061: A casualty being treated at the hospital.
57. Video 62: A hospital staff member talking about mass casualties at the hospital after an incident involving toxic chemicals.
58. Video 100_2177: Casualties being treated at the hospital.
59. Video 100_2180: Casualties being treated at the hospital.
60. Video 100_2181: Casualties being treated at the hospital.
61. Video 100_2184: Casualties evacuation to the hospital.

62. Video M2U00331: The video shows the impact point of a barrel bomb at Al Tamanah village on 12 April 2014.
63. Video 100_2270: Casualties being treated at the hospital.
64. Video 100_2271: Video about panic among the public after suspected exposure to toxic chemicals.
65. Video 100_2272: Casualties being treated at the hospital.
66. Video 100_2273: Casualties being treated at the hospital.
67. Video 100_2274: Casualties being treated at the hospital.
68. Video 100_2275: Casualties being treated at the hospital.
69. Video 100_2276: Casualties being treated at the hospital.
70. Video 100_2277: Casualties being treated at the hospital.
71. Video M2U00330: The video shows the impact point of a barrel bomb.
72. Video entitled "[REDACTED]": A video showing an unconscious casualty.
73. Video entitled "[REDACTED]": A casualty being treated at the hospital.
74. Video M2U01555: Casualties evacuation to a hospital on 22 May 2014.
75. Video 100_2603: Casualties being treated at the hospital.
76. Video 100_2604: Casualties being treated at the hospital.
77. Video 100_2610: Casualties being treated at the hospital.
78. Video 100_2613: Casualties being treated at the hospital.
79. Video 100_2614: Decontamination of a casualty at the hospital.
80. Video 100_2615: Continuation of previous video 100_2614.
81. Video 100_2616: Transfer of casualties to higher medical echelons.
82. Video 102_2350: Casualties being treated at the hospital.
83. Video 102_2351: Casualties being treated at the hospital.
84. Video 102_2353: Casualties being treated at the hospital.
85. Video 102_2354: Casualties being treated at the hospital.
86. Video M2U01556: Casualties being treated at the hospital.

87. Video M2U01576: A barrel bomb containing toxic chemicals that failed to function.
88. Video entitled "Giving first aid to an injured woman and her son who inhaled toxic gases dropped by helicopters in Al Tamanah on 29 April 2014": Casualties being treated at the hospital.
89. Video entitled "Al Tamanah chlorine gas": Casualties being treated at the hospital.
90. Video entitled "Helicopter dropping barrel containing chemicals on Al Tamanah on 19 July 2014, [no injuries]": The incident of 19 July 2014.
91. Video entitled "Chemicals": Impact point of 22 May 2014.
92. Video entitled "Removing the barrel containing chlorine gas in Al Tamanah on 26 May 2014": A barrel bomb with toxic chemicals being removed from the impact site.
93. Video entitled "Dismantling the barrel containing chlorine gas dropped on Al Tamanah on 26 May 2014": A barrel bomb with toxic chemicals being dismantled.
94. Video entitled "Helicopters dropping barrels containing toxic gases on Al Tamanah on 22 May 2014": The incident of 22 May 2014.
95. Video entitled "The moment the container was dropped by the helicopter on Al Tamanah in Rif Idlib on 28 December 2013": The incident of 28 December 2013.
96. Video entitled "Injured people as a result of the toxic gas attack on Al Tamanah on 22 May 2014": A hospital staff member talking about the incident of 22 May 2014.
97. Video entitled "The site where one of the containers with toxic chlorine gas was dropped but did not explode in Al Tamanah on 26 May 2014": A barrel bomb from the incident of 26 May 2014 that failed to function.
98. Video entitled "The site where the second barrel containing toxic chlorine gas was dropped on Al Tamanah on 30 April 14": The impact site of a barrel bomb containing toxic chemicals on 30 April 2014.
99. Video entitled "The site where a chemical barrel was dropped on Al Tamanah on 13 April 2014": The incident of 13 April 2014 wherein a barrel bomb containing toxic chemicals was used.
100. Video entitled "The site where a chemical barrel was dropped on Al Tamanah on 13 April 14": The same as the previous video.
101. Video entitled "The site where a chemical barrel was dropped on Al Tamanah on 13 April 2014": The same as the two previous videos.
102. Video entitled "The site where a chemical barrel was dropped on Al Tamanah on 13 April 2014": The same as the three previous videos.

103. Video entitled “The site where a barrel containing chlorine gas was dropped on Al Tamanah on 26 May 2014”: The impact site of a barrel bomb containing toxic chemicals on 26 May 2014.
104. Video entitled “Transport of casualties of toxic gases in Al Tamanah on 22 May 2014”: Voice of the commentator: Casualty evacuation after the incident of 22.05.14.
105. Video entitled “Important media material - Commander of the Mohamed Sawt Al-Haqq engineering brigade giving explanations on one of the chlorine barrels dropped on Kafr Zita - suburbs of Hama” in Arabic: A commentator explaining an improvised barrel bomb containing a mixture of chemicals along with a gas cylinder.
106. Video 20140414_230306: Casualties being treated at the hospital.
107. Video 20140414_230526: Casualties being treated at the hospital.
108. Video 20140416_224606: A treating physician discusses casualties after exposure to toxic chemicals.
109. Video 20140513_081734: Kafr Zita on 13 May 2014.
110. Video 20140828_210336: Casualties being treated at the hospital.
111. Video 20140901_113728: A commentator discussing improvised barrel bombs containing toxic chemicals.
112. Video M2U00088: Casualties being treated at the hospital.
113. Video M2U00090: Casualties being treated at the hospital.
114. Video M2U00091: Casualties being treated at the hospital.
115. Video M2U00092: Casualties being treated at the hospital.
116. Video M2U00093: Casualties being treated at the hospital.
117. Video M2U00094: Casualties being treated at the hospital.
118. Video M2U00095: Continuation of the previous video.
119. Video entitled New - New - 2014522_201352: Casualties being treated at the hospital.
120. Video entitled New - New - 20140522_201915: Casualties being treated at the hospital.
121. Video entitled New - New - 20140522_201935: Casualties being treated at the hospital.
122. Video entitled New - New - 20140522_202114: Casualties being treated at the hospital.

123. Video entitled New - New - 20140522_202328: Casualties being treated at the hospital.
124. Video entitled New - New - 20140522_202504: Casualties being treated at the hospital.
125. Video entitled New - New - 20140522_210106: A treating physician discusses casualties after exposure to toxic chemicals.
126. Video entitled New - New - M2U00030: Casualties being treated at the hospital.
127. Video entitled New - Part II of the suffocation cases (in Arabic): Casualties being treated at the hospital.
128. Video entitled New - New - M2U00031: Casualties being treated at the hospital.
129. Video entitled New - New - M2U00032: Casualties being treated at the hospital.
130. Video entitled New - New - 20140522_202328: Casualties being treated at the hospital.
131. Video entitled New - New -20140522_202504: Casualties being treated at the hospital.
132. Video entitled New - New - 20140522_210106: A treating physician discusses casualties after exposure to toxic chemicals.
133. Video entitled New - New - M2U00030: Voice of the commentator: "22.05.14. Casualties being treated at the hospital.
134. Video entitled New - (Part II of the suffocation cases): Casualties being treated at the hospital.
135. Video entitled New - New - M2U00031: Voice of the commentator: "22.05.14. Casualties being treated at the hospital.
136. Video entitled New - New - M2U00032: Voice of the commentator: "22.05.14. Casualties being treated at the hospital.
137. Video entitled New - New - M2U00033: Continuation of the previous video.
138. Video entitled New - Report on chlorine in Kafr Zita (in Arabic): Treating physician discusses casualties after exposure to toxic chemicals.
139. Video entitled "A physician speaking in English about gases" (in Arabic): A treating physician discusses casualties after exposure to toxic chemicals.
140. Video entitled "Suffocation among children" (in Arabic): A treating physician discusses casualties after exposure to toxic chemicals.

141. Video entitled New - Part II of the suffocation cases (in Arabic): Casualties being treated at the hospital.
142. Video entitled “The moment of the explosion of a toxic gas container” (in Arabic): The video shows the moment of the explosion of a barrel bomb containing toxic chemicals.

TABLE A: LIST OF MATERIAL GATHERED DURING THE INTERVIEW PROCESS

| S/N | Date of origin/ available to Mission) | Originator (DCN) | Material Title | No. of pages/ items |
|-----|--|----------------------|--|-------------------------|
| 1. | 22.08.14/ (22.08.14) | SAB/FFM3/14/5914/015 | Consent Form. | 1 page |
| 2. | 22.08.14/ (22.08.14) | SAB/FFM3/14/5914/015 | Audio recording of interview. | 1 micro SD card, 2GB |
| 3. | 22.08.14/ (22.08.14) | SAB/FFM3/14/5914/015 | Diagrammatic layout of house where incident happened in Talmenes. | 3 pages |
| 4. | 12.04.14; 18.04.14; 21.04.14; 22.04.14; 23.04.14/ (22.08.14) | SAB/FFM3/14/5914/015 | Sampling forms showing collection of blood, urine, tracheal secretions, soil, tree leaves, and bomb fragments. | 15 pages |
| 5. | 21.04.14/ (22.08.14) | SAB/FFM3/14/5914/015 | Medical forms, Bab Al-Hawa hospital, documenting chemical exposure cases. | 7 pages |
| 6. | 21.04.14/ (22.08.14) | SAB/FFM3/14/5914/015 | Medical report on incident of chemical attack on Talmenes, including presenting symptoms, clinical signs, and details of patients. | 6 pages |
| 7. | 21.04.14/ (22.08.14) | SAB/FFM3/14/5914/015 | Various medical examination, investigation, treatment documents from Bab Al-Hawa hospital. | 84 pages |
| 8. | 21.04.14/ (22.08.14) | SAB/FFM3/14/5914/015 | Various videos taken by interviewee from incident of 21.04.14. | 42 videos |
| 9. | 25.08.14/ (25.08.14) | SAB/FFM3/14/5914/017 | Consent Form. | 1 page |
| 10. | 25.08.14/ (25.08.14) | SAB/FFM3/14/5914/017 | Speciality certificate in Orthopaedics, Ministry of Health, SAR, copy. | 1 page |
| 11. | 25.08.14/ (25.08.14) | SAB/FFM3/14/5914/017 | Audio recording of interview. | 1 micro SD card, 2GB |
| 12. | 25.08.14/ (25.08.14) | SAB/FFM3/14/5914/017 | Video recording of interview. | 1 micro SD card, |

| S/N | Date of origin/ available to Mission) | Originator (DCN) | Material Title | No. of pages/ items |
|-----|--|----------------------|--|--------------------------|
| | | | | 32GB |
| 13. | 25.08.14/ (25.08.14) | SAB/FFM3/14/5914/017 | Video recording of interview. | 1 micro SD card, 32GB |
| 14. | 25.08.14/ (25.08.14) | SAB/FFM3/14/5914/017 | Handover certificate for evidence. | 1 page |
| 15. | 25.08.14/ (25.08.14) | SAB/FFM3/14/5914/018 | Consent Form. | 1 page |
| 16. | 25.08.14/ (25.08.14) | SAB/FFM3/14/5914/018 | ID card, front and back, copy. | 2 pages |
| 17. | 25.08.14/ (25.08.14) | SAB/FFM3/14/5914/018 | Doctor Licentiate in Human Medicine, Ministry of Health, SAR, copy. | 1 page |
| 18. | 25.08.14/ (25.08.14) | SAB/FFM3/14/5914/018 | Work certificate at the Faculty of Medicine, Aleppo, issued for of a student in Advanced Studies in General Surgery, by the dean of the Faculty of Medicine, Aleppo, copy. | 1 page |
| 19. | 25.08.14/ (25.08.14) | SAB/FFM3/14/5914/018 | Audio recording of interview. | 1 micro SD card, 2GB |
| 20. | 25.08.14/ (25.08.14) | SAB/FFM3/14/5914/018 | Video recording of interview. | 1 micro SD card, 32GB |
| 21. | 26.08.14/ (26.08.14) | SAB/FFM3/14/5914/019 | Consent Form. | 1 page |
| 22. | 26.08.14/ (26.08.14) | SAB/FFM3/14/5914/019 | ID card, front and back, copy. | 2 pages |
| 23. | 26.08.14/ (26.08.14) | SAB/FFM3/14/5914/019 | Drawings of bomb, house layout where bomb impacted and approach streets to impact place, Talmenes. | 2 pages |
| 24. | 26.08.14/ (26.08.14) | SAB/FFM3/14/5914/019 | Autopsy certificate. | 1 page |
| 25. | 26.08.14/ (26.08.14) | SAB/FFM3/14/5914/019 | Map of Talmenes marked in presence of mission showing impact point. | 1 page |
| 26. | 26.08.14/ (26.08.14) | SAB/FFM3/14/5914/019 | Audio recording of interview. | 1 micro SD card, 2GB |

| S/N | Date of origin/ available to Mission) | Originator (DCN) | Material Title | No. of pages/ items |
|-----|--|----------------------|--|--------------------------|
| 27. | 26.08.14/ (26.08.14) | SAB/FFM3/14/5914/019 | Video recording of interview. | 1 micro SD card, 32GB |
| 28. | 26.08.14/ (26.08.14) | SAB/FFM3/14/5914/020 | Consent form. | 1 page |
| 29. | 26.08.14/ (26.08.14) | SAB/FFM3/14/5914/020 | ID card, front and back, copy. | 2 pages |
| 30. | 26.08.14/ (26.08.14) | SAB/FFM3/14/5914/020 | Audio recording of interview. | 1 micro SD card, 2GB |
| 31. | 26.08.14/ (26.08.14) | SAB/FFM3/14/5914/020 | Video recording of interview. | 1 micro SD card, 32GB |
| 32. | 26.08.14/ (26.08.14) | SAB/FFM3/14/5914/021 | Consent form. | 1 page |
| 33. | 26.08.14/ (26.08.14) | SAB/FFM3/14/5914/021 | A copy of birth records. | 1 page |
| 34. | 26.08.14/ (26.08.14) | SAB/FFM3/14/5914/021 | Audio recording of interview. | 1 micro SD card, 2GB |
| 35. | 26.08.14/ (26.08.14) | SAB/FFM3/14/5914/021 | Video recording of interview. | 1 micro SD card, 32GB |
| 36. | 26.08.14/ (26.08.14) | SAB/FFM3/14/5914/022 | Consent form. | 1 page |
| 37. | 26.08.14/ (26.08.14) | SAB/FFM3/14/5914/022 | ID card, front and back, copy. | 2 pages |
| 38. | 26.08.14/ (26.08.14) | SAB/FFM3/14/5914/022 | Drawings of house layout where bomb impacted and approach streets to impact place, Talmenes. | 2 pages |
| 39. | 26.08.14/ (26.08.14) | SAB/FFM3/14/5914/022 | Audio recording of interview. | 1 micro SD card, 2GB |
| 40. | 26.08.14/ (26.08.14) | SAB/FFM3/14/5914/022 | Video recording of interview. | 1 micro SD card, 32GB |
| 41. | 26.08.14/ (26.08.14) | SAB/FFM3/14/5914/023 | Consent form. | 1 page |
| 42. | 26.08.14/ (26.08.14) | SAB/FFM3/14/5914/023 | A copy of birth records. | 1 page |

| S/N | Date of origin/ available to Mission) | Originator (DCN) | Material Title | No. of pages/ items |
|-----|--|----------------------|---|--------------------------|
| 43. | 26.08.14/ (26.08.14) | SAB/FFM3/14/5914/023 | Audio recording of interview. | 1 micro SD card, 2GB |
| 44. | 26.08.14/ (26.08.14) | SAB/FFM3/14/5914/023 | Video recording of interview. | 1 micro SD card, 32GB |
| 45. | 26.08.14/ (26.08.14) | SAB/FFM3/14/5914/024 | Consent form. | 1 page |
| 46. | 26.08.14/ (26.08.14) | SAB/FFM3/14/5914/024 | ID card, front and back, copy. | 2 pages |
| 47. | 26.08.14/ (26.08.14) | SAB/FFM3/14/5914/024 | Drawings of house with neighbourhood where bomb impacted, Talmenes. | 1 page |
| 48. | 26.08.14/ (26.08.14) | SAB/FFM3/14/5914/024 | Audio recording of interview. | 1 micro SD card, 2GB |
| 49. | 26.08.14/ (26.08.14) | SAB/FFM3/14/5914/024 | Video recording of interview. | 1 micro SD card, 32GB |
| 50. | 27.08.14/ (27.08.14) | SAB/FFM3/14/5914/026 | Consent form. | 1 page |
| 51. | 27.08.14/ (27.08.14) | SAB/FFM3/14/5914/026 | ID card, front and back, copy. | 2 pages |
| 52. | 27.08.14/ (27.08.14) | SAB/FFM3/14/5914/026 | Drawings of layout of Talmenes hospital; distances from referral hospitals. | 2 pages |
| 53. | 27.08.14/ (27.08.14) | SAB/FFM3/14/5914/026 | Map of Talmenes marked in presence of mission showing impact points and important buildings including hospital. | 1 page |
| 54. | 27.08.14/ (27.08.14) | SAB/FFM3/14/5914/026 | Audio recording of interview. | 1 micro SD card, 2GB |
| 55. | 27.08.14/ (27.08.14) | SAB/FFM3/14/5914/026 | Video recording of interview. | 1 micro SD card, 32GB |
| 56. | 27.08.14/ (27.08.14) | SAB/FFM3/14/5914/027 | Consent form. | 1 page |
| 57. | 27.08.14/ (27.08.14) | SAB/FFM3/14/5914/027 | ID card, front and back, copy. | 2 pages |
| 58. | 27.08.14/ (27.08.14) | SAB/FFM3/14/5914/027 | Drawings depicting backyard of house where bomb impacted; location of house | 3 pages |

| S/N | Date of origin/ available to Mission) | Originator (DCN) | Material Title | No. of pages/ items |
|-----|--|----------------------|--|--------------------------|
| 59. | 27.08.14/ (27.08.14) | SAB/FFM3/14/5914/027 | in village and escape roads, Talmenes. Audio recording of interview. | 1 micro SD card, 2GB |
| 60. | 27.08.14/ (27.08.14) | SAB/FFM3/14/5914/027 | Video recording of interview. | 1 micro SD card, 32GB |
| 61. | 27.08.14/ (27.08.14) | SAB/FFM3/14/5914/028 | Consent form. | 1 page |
| 62. | 27.08.14/ (27.08.14) | SAB/FFM3/14/5914/028 | ID card (front and back) - copy | 2 pages |
| 63. | 27.08.14/ (27.08.14) | SAB/FFM3/14/5914/028 | Drawing of locations of neighbourhood village hospitals in relation to Talmenes. | 1 page |
| 64. | 27.08.14/ (27.08.14) | SAB/FFM3/14/5914/028 | Various videos showing places and people of Talmenes after the toxic chemical attack. | 16 videos |
| 65. | 27.08.14/ (27.08.14) | SAB/FFM3/14/5914/028 | Document chronologically listing some toxic chemical attacks on the village. | 2 pages |
| 66. | 27.08.14/ (27.08.14) | SAB/FFM3/14/5914/028 | Audio recording of interview. | 1 micro SD card, 2GB |
| 67. | 27.08.14/ (27.08.14) | SAB/FFM3/14/5914/028 | Video recording of interview. | 1 micro SD card, 32GB |
| 68. | 27.08.14/ (27.08.14) | SAB/FFM3/14/5914/029 | Consent form. | 1 page |
| 69. | 27.08.14/ (27.08.14) | SAB/FFM3/14/5914/029 | ID card, front and back, copy. | 2 pages |
| 70. | 27.08.14/ (27.08.14) | SAB/FFM3/14/5914/029 | Drawing of layout of house; important village landmarks; relative location of two houses where bombs impacted, Talmenes. | 1 page |
| 71. | 27.08.14/ (27.08.14) | SAB/FFM3/14/5914/029 | Audio recording of interview. | 1 micro SD card, 2GB |

| S/N | Date of origin/ available to Mission) | Originator (DCN) | Material Title | No. of pages/ items |
|-----|--|----------------------|--|--------------------------|
| 72. | 27.08.14/ (27.08.14) | SAB/FFM3/14/5914/029 | Video recording of interview. | 1 micro SD card, 32GB |
| 73. | 30.08.14/ (30.08.14) | SAB/FFM3/14/5914/031 | Consent form. | 1 page |
| 74. | 30.08.14/ (30.08.14) | SAB/FFM3/14/5914/031 | ID card, front and back, copy. | 2 pages |
| 75. | 30.08.14/ (30.08.14) | SAB/FFM3/14/5914/031 | Doctor Licentiate in Human Medicine, Ministry of Health, SAR, copy. | 1 page |
| 76. | 30.08.14/ (30.08.14) | SAB/FFM3/14/5914/031 | Audio recording of interview. | 1 micro SD card, 2GB |
| 77. | 30.08.14/ (30.08.14) | SAB/FFM3/14/5914/031 | Video recording of interview. | 1 micro SD card, 32GB |
| 78. | 30.08.14/ (30.08.14) | SAB/FFM3/14/5914/032 | Consent form. | 1 page |
| 79. | 30.08.14/ (30.08.14) | SAB/FFM3/14/5914/032 | ID card, front, copy. | 1 page |
| 80. | 30.08.14/ (30.08.14) | SAB/FFM3/14/5914/032 | Drawing of layout of house and impact point, Al Tamanah. | 1 page |
| 81. | 30.08.14/ (30.08.14) | SAB/FFM3/14/5914/032 | Audio recording of interview. | 1 micro SD card, 2GB |
| 82. | 30.08.14/ (30.08.14) | SAB/FFM3/14/5914/032 | Video recording of interview. | 1 micro SD card, 32GB |
| 83. | 30.08.14/ (30.08.14) | SAB/FFM3/14/5914/033 | Consent form. | 1 page |
| 84. | 30.08.14/ (30.08.14) | SAB/FFM3/14/5914/033 | ID card, front, copy. | 1 page |
| 85. | 30.08.14/ (30.08.14) | SAB/FFM3/14/5914/033 | Drawing of unexploded barrel bomb containing toxic chemicals. | 1 page |
| 86. | 30.08.14/ (30.08.14) | SAB/FFM3/14/5914/033 | Audio recording of interview. | 1 micro SD card, 2GB |
| 87. | 30.08.14/ (30.08.14) | SAB/FFM3/14/5914/033 | Video recording of interview. | 1 micro SD card, 32GB |
| 88. | 30.08.14/ (30.08.14) | SAB/FFM3/14/5914/034 | Consent form. | 1 page |

| S/N | Date of origin/ available to Mission) | Originator (DCN) | Material Title | No. of pages/ items |
|------|---|----------------------|--|-------------------------------|
| 89. | 30.08.14/ (30.08.14) | SAB/FFM3/14/5914/034 | ID card, front and back, copy. | 2 pages |
| 90. | 30.08.14/ (30.08.14) | SAB/FFM3/14/5914/034 | Speciality certificate in internal medicine, Ministry of Health SAR, copy. | 1 page |
| 91. | 30.08.14/ (30.08.14) | SAB/FFM3/14/5914/034 | Authorisation to practice medicine in SAR, Ministry of Health SAR, copy. | 1 page |
| 92. | 12.04.14; 18.04.14; 29.04.14; 22.05.14; 27.05.14/ (30.08.14) | SAB/FFM3/14/5914/034 | Videos from incidents of 12, 18, 29.04.14 and 22.05.14, Al Tamanah. | 32 videos |
| 93. | 12.04.14; 18.04.14; 29.04.14; 22.05.14; 27.05.14/ (30.08.14) | SAB/FFM3/14/5914/034 | Photographs from incident of 12, 18, 29.04.14 and 22.05.14. | 20 photographs |
| 94. | May.14/ (30.08.14) | SAB/FFM3/14/5914/034 | Documents, electronic copies of report on various attacks on Al Tamanah. | 3 documents (1 + 2 + 3 pages) |
| 95. | 30.08.14/ (30.08.14) | SAB/FFM3/14/5914/034 | Audio recording of interview. | 1 micro SD card, 2GB |
| 96. | 30.08.14/ (30.08.14) | SAB/FFM3/14/5914/034 | Video recording of interview. | 1 micro SD card, 32GB |
| 97. | 30.08.14/ (30.08.14) | SAB/FFM3/14/5914/036 | Consent form. | 1 page |
| 98. | 30.08.14/ (30.08.14) | SAB/FFM3/14/5914/036 | Passport ID, SAR, copy. | 1 page |
| 99. | 30.08.14/ (30.08.14) | SAB/FFM3/14/5914/036 | Drawing of barrel bomb and protective mask. | 2 pages |
| 100. | 30.08.14/ (30.08.14) | SAB/FFM3/14/5914/036 | Audio recording of interview. | 1 micro SD card, 2GB |
| 101. | 30.08.14/ (30.08.14) | SAB/FFM3/14/5914/036 | Video recording of interview. | 1 micro SD card, 32GB |
| 102. | 30.08.14/ (30.08.14) | SAB/FFM3/14/5914/038 | Consent form. | 1 page |
| 103. | 30.08.14/ (30.08.14) | SAB/FFM3/14/5914/038 | ID card, front and back, copy. | 1 page |

| S/N | Date of origin/ available to Mission) | (Date | Originator (DCN) | Material Title | No. of pages/ items |
|------|--|-------|----------------------|---|--------------------------|
| 104. | 30.08.14/ (30.08.14) | | SAB/FFM3/14/5914/038 | Audio recording of interview. | 1 micro SD card, 2GB |
| 105. | 30.08.14/ (30.08.14) | | SAB/FFM3/14/5914/038 | Video recording of interview. | 1 micro SD card, 32GB |
| 106. | 30.08.14/ (30.08.14) | | SAB/FFM3/14/5914/039 | Consent form. | 1 page |
| 107. | 30.08.14/ (30.08.14) | | SAB/FFM3/14/5914/039 | ID card, front and back, copy. | 2 pages |
| 108. | 30.08.14/ (30.08.14) | | SAB/FFM3/14/5914/039 | Autopsy certificate. | 1 page |
| 109. | 30.08.14/ (30.08.14) | | SAB/FFM3/14/5914/039 | Drawing of barrel bomb. | 1 page |
| 110. | April-May.14/ (30.08.14) | | SAB/FFM3/14/5914/039 | Videos from incident of April-May 2014, Al Tamanah. | 22 videos |
| 111. | May.14/ (30.08.14) | | SAB/FFM3/14/5914/039 | Photographs of unexploded barrel bomb. | 5 photos |
| 112. | 30.08.14/ (30.08.14) | | SAB/FFM3/14/5914/039 | Audio recording of interview. | 1 micro SD card, 2GB |
| 113. | 30.08.14/ (30.08.14) | | SAB/FFM3/14/5914/039 | Video recording of interview. | 1 micro SD card, 32GB |
| 114. | 30.08.14/ (30.08.14) | | SAB/FFM3/14/5914/040 | Consent form. | 1 page |
| 115. | 30.08.14/ (30.08.14) | | SAB/FFM3/14/5914/040 | ID card, front and back, copy. | 1 page |
| 116. | 30.08.14/ (30.08.14) | | SAB/FFM3/14/5914/040 | Drawing of impact point with distances. | 1 page |
| 117. | 30.08.14/ (30.08.14) | | SAB/FFM3/14/5914/040 | Audio recording of interview. | 1 micro SD card, 2GB |
| 118. | 30.08.14/ (30.08.14) | | SAB/FFM3/14/5914/040 | Video recording of interview. | 1 micro SD card, 32GB |
| 119. | 31.08.14/ (31.08.14) | | SAB/FFM3/14/5914/041 | Consent form. | 1 page |
| 120. | 31.08.14/ (31.08.14) | | SAB/FFM3/14/5914/041 | ID card, front and back, copy. | 2 page |
| 121. | 31.08.14/ (31.08.14) | | SAB/FFM3/14/5914/041 | Licentiate in Nursing, Aleppo University, SAR, copy. | 1 page |
| 122. | 31.08.14/ (31.08.14) | | SAB/FFM3/14/5914/041 | Audio recording of interview. | 1 micro SD card, |

| S/N | Date of origin/ available to Mission) | Originator (DCN) | Material Title | No. of pages/ items |
|------|--|----------------------|---|---------------------------------|
| 123. | 31.08.14/ (31.08.14) | SAB/FFM3/14/5914/041 | Video recording of interview. | 2GB 1 micro SD card, 32GB |
| 124. | 31.08.14/ (31.08.14) | SAB/FFM3/14/5914/042 | Consent form. | 1 page |
| 125. | 31.08.14/ (31.08.14) | SAB/FFM3/14/5914/042 | ID card, front and back, copy. | 2 pages |
| 126. | 31.08.14/ (31.08.14) | SAB/FFM3/14/5914/042 | Drawing showing the location of nearby hospitals. | 1 page |
| 127. | 31.08.14/ (31.08.14) | SAB/FFM3/14/5914/042 | Audio recording of interview. | 1 micro SD card, 2GB |
| 128. | 31.08.14/ (31.08.14) | SAB/FFM3/14/5914/042 | Video recording of interview. | 1 micro SD card, 32GB |
| 129. | 31.08.14/ (31.08.14) | SAB/FFM3/14/5914/043 | Consent form. | 1 page |
| 130. | 31.08.14/ (31.08.14) | SAB/FFM3/14/5914/043 | ID card, front, copy. | 1 page |
| 131. | 31.08.14/ (31.08.14) | SAB/FFM3/14/5914/043 | Drawings depicting different places of impact of barrel bombs with toxic chemicals and escape roads from village, Al Tamanah. | 5 pages |
| 132. | 31.08.14/ (31.08.14) | SAB/FFM3/14/5914/043 | Audio recording of interview. | 1 micro SD card, 2GB |
| 133. | 31.08.14/ (31.08.14) | SAB/FFM3/14/5914/043 | Video recording of interview. | 1 micro SD card, 32GB. |
| 134. | 31.08.14/ (31.08.14) | SAB/FFM3/14/5914/044 | Consent form. | 1 page |
| 135. | 31.08.14/ (31.08.14) | SAB/FFM3/14/5914/044 | ID card, front and back, copy. | 2 pages |
| 136. | 31.08.14/ (31.08.14) | SAB/FFM3/14/5914/044 | Drawings depicting different places of impact of barrel bombs with toxic | 1 page |

| S/N | Date of origin/ available to Mission) | Originator (DCN) | Material Title | No. of pages/ items |
|------|--|----------------------|---|--------------------------|
| | | | chemicals, Al Tamanah. | |
| 137. | 31.08.14/ (31.08.14) | SAB/FFM3/14/5914/044 | Audio recording of interview. | 1 micro SD card, 2GB |
| 138. | 31.08.14/ (31.08.14) | SAB/FFM3/14/5914/044 | Video recording of interview. | 1 micro SD card, 32GB |
| 139. | 31.08.14/ (31.08.14) | SAB/FFM3/14/5914/045 | Consent form. | 1 page |
| 140. | 31.08.14/ (31.08.14) | SAB/FFM3/14/5914/045 | Copy of civil status records. | 1 page |
| 141. | 31.08.14/ (31.08.14) | SAB/FFM3/14/5914/045 | Audio recording of interview. | 1 micro SD card, 2GB |
| 142. | 31.08.14/ (31.08.14) | SAB/FFM3/14/5914/045 | Video recording of interview. | 1 micro SD card, 32GB |
| 143. | 31.08.14/ (31.08.14) | SAB/FFM3/14/5914/046 | Consent form. | 1 page |
| 144. | 31.08.14/ (31.08.14) | SAB/FFM3/14/5914/046 | ID card, front and back, copy. | 1 page |
| 145. | 31.08.14/ (31.08.14) | SAB/FFM3/14/5914/046 | Audio recording of interview. | 1 micro SD card, 2GB |
| 146. | 31.08.14/ (31.08.14) | SAB/FFM3/14/5914/046 | Video recording of interview. | 1 micro SD card, 32GB |
| 147. | 02.09.14/ (02.09.14) | SAB/FFM3/14/5914/048 | Consent form. | 1 page |
| 148. | 02.09.14/ (02.09.14) | SAB/FFM3/14/5914/048 | ID Passport, SAR, copy. | 1 pages |
| 149. | 02.09.14/ (02.09.14) | SAB/FFM3/14/5914/048 | Certificate of Specialisation in General Surgery, Ministry of Health, SAR, copy. | 1 page |
| 150. | 02.09.14/ (02.09.14) | SAB/FFM3/14/5914/048 | Employment contract with Kafr Zita hospital. | 2 pages |
| 151. | 02.09.14/ (02.09.14) | SAB/FFM3/14/5914/048 | Videos from incidents, Kafr Zita. | 32 videos |
| 152. | 02.09.14/ (02.09.14) | SAB/FFM3/14/5914/048 | 2 reports by the Hama Health Directorate about toxic chemical attacks on Kafr Zita. | 4 pages |
| 153. | 02.09.14/ (02.09.14) | SAB/FFM3/14/5914/048 | Patient treatment records. | 140 pages |

| S/N | Date of origin/ available to Mission) | Originator (DCN) | Material Title | No. of pages/ items |
|------|--|----------------------|--|--------------------------|
| 154. | 02.09.14/ (02.09.14) | SAB/FFM3/14/5914/048 | Audio recording of interview. | 1 micro SD card, 2GB |
| 155. | 02.09.14/ (02.09.14) | SAB/FFM3/14/5914/048 | Video recording of interview. | 1 micro SD card, 32GB |
| 156. | 02.09.14/ (02.09.14) | SAB/FFM3/14/5914/049 | Consent form. | 1 page |
| 157. | 02.09.14/ (02.09.14) | SAB/FFM3/14/5914/049 | ID Passport, SAR, copy. | 1 pages |
| 158. | 02.09.14/ (02.09.14) | SAB/FFM3/14/5914/049 | Certificate of Specialisation in Internal Medicine, Ministry of Health, SAR, copy | 1 page |
| 159. | 02.09.14/ (02.09.14) | SAB/FFM3/14/5914/049 | Employment contract with Kafr Zita hospital. | 2 pages |
| 160. | 02.09.14/ (02.09.14) | SAB/FFM3/14/5914/049 | Hand written details listing attacks. | 1 page |
| 161. | 02.09.14/ (02.09.14) | SAB/FFM3/14/5914/049 | Audio recording of interview. | 1 micro SD card, 2GB |
| 162. | 02.09.14/ (02.09.14) | SAB/FFM3/14/5914/049 | Video recording of interview. | 1 micro SD card, 32GB |
| 163. | 03.09.14/ (03.09.14) | SAB/FFM3/14/5914/051 | Consent form. | 1 page |
| 164. | 03.09.14/ (03.09.14) | SAB/FFM3/14/5914/051 | ID card, front and back, copy. | 1 page |
| 165. | 03.09.14/ (03.09.14) | SAB/FFM3/14/5914/051 | Audio recording of interview. | 1 micro SD card, 2GB |
| 166. | 03.09.14/ (03.09.14) | SAB/FFM3/14/5914/051 | Video recording of interview. | 1 micro SD card, 32GB |
| 167. | 03.09.14/ (03.09.14) | SAB/FFM3/14/5914/052 | Consent form. | 1 page |
| 168. | 03.09.14/ (03.09.14) | SAB/FFM3/14/5914/052 | ID card, front and back, copy. | 1 page |
| 169. | 03.09.14/ (03.09.14) | SAB/FFM3/14/5914/052 | Drawing of improvised barrel bomb. | 1 page |
| 170. | 03.09.14/ (03.09.14) | SAB/FFM3/14/5914/052 | Drawing depicting patient transfer across | 1 page |

| S/N | Date of origin/ available to Mission) | Originator (DCN) | Material Title | No. of pages/ items |
|------|--|----------------------|--|--------------------------|
| | | | border. | |
| 171. | 03.09.14/ (03.09.14) | SAB/FFM3/14/5914/052 | Audio recording of interview. | 1 micro SD card, 2GB |
| 172. | 03.09.14/ (03.09.14) | SAB/FFM3/14/5914/052 | Video recording of interview. | 1 micro SD card, 32GB |
| 173. | 03.09.14/ (03.09.14) | SAB/FFM3/14/5914/053 | Unsigned consent, as the individual was minor and unaccompanied by guardian. | 1 page |
| 174. | 03.09.14/ (03.09.14) | SAB/FFM3/14/5914/053 | Audio recording of interview, individuals statement only. | 1 micro SD card, 2GB |
| 175. | 03.09.14/ (03.09.14) | SAB/FFM3/14/5914/053 | Video recording of interview, couple of minutes only until individual was identified as minor. | 1 micro SD card, 32GB |
| 176. | 03.09.14/ (03.09.14) | SAB/FFM3/14/5914/054 | Consent form. | 1 page |
| 177. | 03.09.14/ (03.09.14) | SAB/FFM3/14/5914/054 | ID card, front and back, copy. | 1 page |
| 178. | 03.09.14/ (03.09.14) | SAB/FFM3/14/5914/054 | Audio recording of interview. | 1 micro SD card, 2GB |
| 179. | 03.09.14/ (03.09.14) | SAB/FFM3/14/5914/055 | Consent form. | 1 page |
| 180. | 03.09.14/ (03.09.14) | SAB/FFM3/14/5914/055 | ID card, front and back, copy. | 1 page |
| 181. | 03.09.14/ (03.09.14) | SAB/FFM3/14/5914/055 | Audio recording of interview. | 1 micro SD card, 2GB |
| 182. | 03.09.14/ (03.09.14) | SAB/FFM3/14/5914/056 | Consent form. | 1 page |
| 183. | 03.09.14/ (03.09.14) | SAB/FFM3/14/5914/056 | ID card, front and back, copy. | 1 page |
| 184. | 03.09.14/ (03.09.14) | SAB/FFM3/14/5914/056 | Audio recording of interview. | 1 micro SD card, 2GB |
| 185. | 03.09.14/ (03.09.14) | SAB/FFM3/14/5914/056 | Video recording of interview. | 1 micro SD card, 32GB |
| 186. | 03.09.14/ (03.09.14) | SAB/FFM3/14/5914/057 | Consent form. | 1 page |

| S/N | Date of origin/ available to Mission) | Originator (DCN) | Material Title | No. of pages/ items |
|------|--|----------------------|--------------------------------|--------------------------|
| 187. | 03.09.14/ (03.09.14) | SAB/FFM3/14/5914/057 | ID card, front and back, copy. | 1 page |
| 188. | 03.09.14/ (03.09.14) | SAB/FFM3/14/5914/057 | Audio recording of interview. | 1 micro SD card, 2GB |
| 189. | 03.09.14/ (03.09.14) | SAB/FFM3/14/5914/057 | Video recording of interview. | 1 micro SD card, 32GB |

TABLE B: LIST OF MATERIAL PRODUCED BY THE TEAM MEMBERS OF THE MISSION

| S/N | Date of origin | Originator (DCN) | Material Title | No. of USED/Total pages |
|------------|-----------------------|-------------------------|-----------------------|--------------------------------|
| 1. | 21.08.14 | SAB/FFM3/14/5914/010 | Inspection notebook | 25/25 pages |
| 2. | 21.08.14 | SAB/FFM3/14/5914/011 | Inspection notebook | 00/25 pages |
| 3. | 21.08.14 | SAB/FFM3/14/5914/012 | Inspection notebook | 25/25 pages |
| 4. | 21.08.14 | SAB/FFM3/14/5914/013 | Inspection notebook | 25/25 pages |
| 5. | 21.08.14 | SAB/FFM3/14/5914/014 | Inspection notebook | 25/25 pages |
| 6. | 25.08.14 | SAB/FFM3/14/5914/016 | Inspection notebook | 25/25 pages |
| 7. | 26.08.14 | SAB/FFM3/14/5914/025 | Inspection notebook | 25/25 pages |
| 8. | 27.08.14 | SAB/FFM3/14/5914/030 | Inspection notebook | 25/25 pages |
| 9. | 30.08.14 | SAB/FFM3/14/5914/035 | Inspection notebook | 23/25 pages |
| 10. | 30.08.14 | SAB/FFM3/14/5914/037 | Inspection notebook | 25/25 pages |
| 11. | 02.09.14 | SAB/FFM3/14/5914/047 | Inspection notebook | 25/25 pages |
| 12. | 02.09.14 | SAB/FFM3/14/5914/050 | Inspection notebook | 25/25 pages |
| 13. | 03.09.14 | SAB/FFM3/14/5914/058 | Inspection notebook | 02/25 pages |

TABLE C: CHRONOLOGICAL SEQUENCE OF ADMISSION TO HOSPITAL, KAFR ZITA

| Name | Gender/ Age | Address | Date of First Aid | Diagnosis | Treatment Provided |
|-------------|--------------------|----------------|--------------------------|---|---|
| 1104-P1 | Male | Morek | 11.04.14 | Difficulty breathing+ coughing | I.V fluids |
| 1104-P2 | Male | Latamnah | 11.04.14 | Intoxication by toxic gas | Symptomatic treatment |
| 1104-P3 | Male | Morek | 11.04.14 | Toxic gases, contusion in the head | Symptomatic treatment+ resuscitation (This patient died) |
| 1104-P4 | Male | Kafr Zita | 11.04.14 | Sensation of suffocation, difficulty breathing and vomiting | Symptomatic treatment |
| 1104-P5 | Female | Kafr Zita | 11.04.14 | Intoxication by chlorine gas+ acute respiratory distress | Saline isotonic I.V fluids, oxygenation, sprays. The patient was transferred outside of SAR |
| 1104-P6 | Male | Kafr Zita | 11.04.14 | Suffocation, difficulty breathing, cyanosis | Symptomatic treatment |
| 1104-P7 | Female | Hama | 11.04.14 | Intoxication by chlorine gas. Same symptoms | Same treatment plan (IV treatment, oxygen, spray) |
| 1104-P8 | Female | Morek | 11.04.14 | Intoxication symptoms, coughing, cyanosis, low blood pressure | Symptomatic treatment (condition improved) |
| 1104-P9 | Female | Morek | 11.04.14 | Severe coughing, difficulty breathing, low pressure, crepitations, cyanosis | I.V fluids |
| 1104-P10 | Male | Kafr Zita | 11.04.14 | Intoxication by chlorine gas (severe coughing, fatigue, cold perspiration, cyanosis, haemoptysis) | I.V fluids. The patient was transferred outside of SAR |
| 1104-P11 | Female | Kafr Zita | 11.04.14 | Severe coughing, haemoptysis and acute respiratory distress | The patient was transferred to an advanced medical centre |

| | | | | | |
|----------|-----------------|-----------|----------------------|--|---|
| 1104-P12 | Male | Kafr Zita | 11.04.14 | Intoxication by chlorine gas | I.V fluids + oxygen |
| 1204-P1 | Male | Bsirin | 12.04.14 @ 22:00hrs | Suffocation by chlorine gas | I.V treatment+ oxygen+ spray |
| 1204-P2 | Male | - | 12.04.14 | Suffocation by chlorine gas | Symptomatic treatment |
| 1204-P3 | Female | Kafr Zita | 12.04.14 | Intoxication by chlorine gas, dry coughing, difficulty breathing, low blood pressure | I.V fluids |
| 1204-P4 | Male | - | 12.04.14 | Suffocation by chlorine gas. Same symptoms | Same treatment plan (oxygen and spray) |
| 1204-P5 | Female | Kafr Zita | 12.04.14 | Illegible | I.V treatment |
| 1404-P1 | Male 20 years | Halfaya | 14.04.14 @ 23:00 hrs | Intoxication by chlorine gas. Same symptoms | Same treatment plan |
| 1404-P2 | Male 18 years | Halfaya | 14.04.14 @ 23:00 hrs | Intoxication by chlorine gas. Same symptoms | Same treatment plan (I.V fluids, oxygen, spray) |
| 1404-P3 | Male 19 years | Halfaya | 14.04.14 @ 23:00 hrs | Intoxication with chlorine gas Same symptoms | Same treatment plan (I.V fluids, oxygen, spray) |
| 1404-P4 | Male 21 years | Halfaya | 14.04.14 @ 23:00 hrs | Intoxication with chlorine gas Same symptoms | Same treatment plan |
| 1604-P1 | Male 40 years | Kafr Zita | 16.04.14 | Intoxication by chlorine gas. Dry cough + crepitations + difficulty breathing | oxygen+ sprays |
| 1604-P2 | Male | Shid | 16.04.14 | Intoxication by chlorine gas. Same symptoms | Same treatment plan (oxygen+ sprays) |
| 1604-P3 | Male | Shid | 16.04.14 | Intoxication with chlorine gas. Same symptoms | Same treatment plan (oxygen+ sprays) |
| 1604-P4 | Female 21 years | Kafr Zita | 16.04.14 | Severe coughing due to exposure to chlorine gas, irritability, tight chest | I.V fluids |
| 1604-P5 | Female 24 years | Kafr Zita | 16.04.14 | Intoxication by chlorine gas. Same symptoms | Same treatment plan |

| | | | | | | |
|----------|-----------------|--|-----------|-----------------------|---|---|
| 1804-P1 | Male | | Kafr Zita | 18.04.14 at 22:50 hrs | Intoxication by chlorine. Same symptoms (coughing and difficulty breathing) | Same treatment plan (CORTISONE + Salbutamol+ Spray) |
| 1804-P2 | Male | | Kafr Zita | 18.04.14 | Intoxication by chlorine | Same treatment plan |
| 1804-P3 | Male 7 months | | Kafr Zita | 18.04.14 | Intoxication by chlorine | Same treatment plan |
| 1804-P4 | | | Kafr Zita | 18.04.14 at 24:00 hrs | Toxic gases (chlorine). Same symptoms | Same treatment plan |
| 1804-P5 | Female | | Karnaz | 18.04.14 | Intoxication by chlorine gas. Same symptoms | Same treatment plan |
| 1804-P6 | Male | | Kafr Zita | 18.04.14 at 22:50 hrs | Intoxication by chlorine gas. Same symptoms (Severe cough+ difficulty breathing) | Sprays+Salbutamol+Dexon |
| 1804-P7 | Male | | Kafr Zita | 18 April 2014 | Intoxication with chlorine gas. Same symptoms | Same treatment plan |
| 1804-P8 | Female 25 years | | Morek | 18.04.14 at 24:00 hrs | Intoxication by chlorine gas. Same symptoms | Same treatment plan |
| 1804-P9 | Male | | Kafr Zita | 18.04.14 at 22:50 hrs | Intoxication by chlorine gas. Same symptoms | Same treatment |
| 1804-P10 | Female | | Kafr Zita | 18.04.14 at 22:50 hrs | Delivery of baby and intoxication by chlorine. Same symptoms | Same treatment plan |
| 1804-P11 | Female | | Morek | 18.04.14 at 22:50 hrs | Intoxication by chlorine gas. Same symptoms | Same treatment plan |
| 1804-P12 | Male | | Kafr Zita | 18.04.14 at 22:50 hrs | Intoxication by chlorine gas. Same symptoms | Same treatment plan |
| 1804-P13 | Male | | Kafr Zita | 18.04.14 | Intoxication by chlorine gas. Same symptoms | Same treatment plan |
| 1804-P14 | Male | | Kafr Zita | 18.04.14 | Intoxication by chlorine gas. Same symptoms | Same treatment plan |

| | | | | | | |
|----------|-----------------|-----------|-----------------------|---|---|--------------------------------------|
| 1804-P15 | Male | Morek | 18.04.14 | Intoxication by chlorine gas. Same symptoms | Intoxication by chlorine gas. Same symptoms | Same treatment plan |
| 1804-P16 | Male | Latamnah | 18.04.14 | Intoxication by chlorine gas. Same symptoms | Intoxication by chlorine gas. Same symptoms | Same treatment plan |
| 1804-P17 | Male | Morek | 18.04.14 | Intoxication by chlorine gas. Same symptoms | Intoxication by chlorine gas. Same symptoms | Same treatment plan |
| 1804-P18 | Male | Khattab | 18.04.14 | Intoxication by chlorine gas. Same symptoms | Intoxication by chlorine gas. Same symptoms | Same treatment plan |
| 1804-P19 | Female | Latamnah | 18.04.14 | Intoxication by chlorine gas. Same symptoms | Intoxication by chlorine gas. Same symptoms | Same treatment plan |
| 1804-P20 | Male | Kafr Zita | 18.04.14 | Intoxication by chlorine gas. Same symptoms | Intoxication by chlorine gas. Same symptoms | Same treatment plan |
| 1804-P21 | Female | Tawina | 18.04.14 | Intoxication by chlorine gas. Same symptoms | Intoxication by chlorine gas. Same symptoms | Same treatment plan |
| 1804-P22 | Female | Kafr Zita | 18.04.14 | Intoxication by chlorine gas. Same symptoms | Intoxication by chlorine gas. Same symptoms | Same treatment plan |
| 1804-P23 | Male | Kafr Zita | 18.04.14 | Intoxication by chlorine gas. Same symptoms | Intoxication by chlorine gas. Same symptoms | Same treatment plan |
| 1804-P24 | Female | Kafr Zita | 18.04.14 | Intoxication by chlorine gas. Same symptoms | Intoxication by chlorine gas. Same symptoms | Same treatment plan |
| 1804-P25 | Male | Kafr Zita | 18.04.14 | Intoxication by chlorine gas. Same symptoms | Intoxication by chlorine gas. Same symptoms | Same treatment plan |
| 1804-P26 | Female 19 years | Latamnah | 18.04.14 | Intoxication by chlorine gas. Same symptoms | Intoxication by chlorine gas. Same symptoms | Same treatment plan |
| 1804-P27 | Female 27 years | Latamnah | 18.04.14 at 24:00 hrs | Intoxication by chlorine gas. Same symptoms | Intoxication by chlorine gas. Same symptoms | Same treatment plan (sprays+ oxygen) |
| 1804-P28 | Male | Hayaline | 18.04.14 | Intoxication by chlorine gas. Same symptoms | Intoxication by chlorine gas. Same symptoms | Same treatment plan |

| | | | | | |
|----------|-----------------|-----------|-----------------------|---|-------------------------------|
| 1804-P29 | Male | Kafr Zita | 18.04.14 | Intoxication by chlorine gas. Same symptoms | Same treatment plan |
| 1804-P30 | Female | Al-Tawina | 18.04.14 | Intoxication by chlorine gas. Same symptoms | Same treatment plan |
| 1804-P31 | Male | - | 18.04.14 at 23:00 hrs | Intoxication by chlorine gas. Same symptoms (severe coughing) | Same treatment plan |
| 1804-P32 | Female | Kafr Zita | 18.04.14 | Intoxication by chlorine gas. Same symptoms | Same treatment plan |
| 1804-P33 | Female | Al-Zakat | 18.04.14 | Intoxication by chlorine gas. Same symptoms | Same treatment plan |
| 1804-P34 | Female 24 years | Kafr Zita | 18.04.14 | Intoxication by chlorine gas. Same symptoms | Same treatment plan |
| 1804-P35 | Female | Kafr Zita | 18.04.14 | Intoxication by chlorine gas. Same symptoms | Same treatment plan |
| 1905-P1 | Male | Kafr Zita | 19.05.14 @20:00 hrs | Intoxication by chlorine gas. Coarse crepitations | Sprays+ Kortifint+ Salbutamol |
| 1905-P2 | Male | Kafr Zita | 19.05.14 | Intoxication by chlorine gas. | I.V fluids |
| 2105-P1 | Female | Kafr Zita | 21.05.14 | Intoxication by chlorine gas. Same symptoms | |
| 2105-P2 | Female | Kafr Zita | 21.05.14 | Intoxication by chlorine gas (dry coughing+ difficulty breathing) | I.V fluids |
| 2105-P3 | Male 30 years | Kafr Zita | 21.05.14 | Severe cough due to exposure to chlorine gas | Sprays (salbutamol) |
| 2105-P4 | Male | Kafr Zita | 21.05.14at 20:00 hrs | Intoxication by chlorine | I.V fluids |
| 2205-P1 | Male 57 years | Kafr Zita | 22.05.14 | Intoxication by chlorine gas; Coughing, coarse crepitations | Sprays |
| 2205-P2 | Female 18 years | Morek | 22.05.14 at 20:00 hrs | Intoxication by chlorine gas | O2+ Spray |
| 2205-P3 | Female 26 years | Kafr Zita | 22.05.14 at 20:00 hrs | Intoxication by chlorine gas | O2+ Spray |


| | | | | | |
|----------|-----------------|-----------|-----------------------|------------------------------|-----------------------|
| 2205-P4 | Male | Kafr Zita | 22.05.14 at 20:00 hrs | Intoxication by chlorine gas | O2+ Spray |
| 2205-P5 | Female 12 years | Khatab | 22.05.14 at 20:00 hrs | Intoxication by chlorine gas | O2+ Spray |
| 2205-P6 | Male 22 years | Kafr Zita | 22.05.14 at 20:00 hrs | Intoxication by chlorine gas | O2+ Spray |
| 2205-P7 | Male 22 years | Kafr Zita | 22.05.14 at 20:00 hrs | Intoxication by chlorine gas | O2+ Spray |
| 2205-P8 | Male 44 years | Kafr Houd | 22.05.14 at 20:00 hrs | Intoxication by chlorine gas | O2+ Spray |
| 2205-P9 | Male 25 years | Kafr Zita | 22.05.14 at 20:00 hrs | Intoxication by chlorine gas | O2+ Spray |
| 2205-P10 | Female 17 years | Kafr Zita | 22.05.14 | Intoxication by chlorine gas | O2+ Spray+ Monitoring |
| 2205-P11 | Female 18 years | Latamnah | 22.05.14 | Intoxication by chlorine gas | O2+ Spray+ Monitoring |
| 2205-P12 | Male 21 years | Kafr Zita | 22.05.14 | Intoxication by chlorine gas | O2+ Spray+ Monitoring |
| 2205-P13 | Male 21 years | Kafr Zita | 22.05.14 | Intoxication by chlorine gas | O2+ Spray+ Monitoring |
| 2205-P14 | Male 23 years | Kafr Zita | 22.05.14 | Intoxication by chlorine gas | O2+ Spray+ Monitoring |
| 2205-P15 | Female 40 years | Kafr Zita | 22.05.14 | Intoxication by chlorine gas | O2+ Spray+ Monitoring |
| 2205-P16 | Male 17 years | Kafr Zita | 22.05.14 | Intoxication by chlorine gas | O2+ Spray+ Monitoring |
| 2205-P17 | Female 18 years | Latamnah | 22.05.14 | Intoxication by chlorine gas | O2+ Spray+ Monitoring |
| 2205-P18 | Male 21 years | Kafr Zita | 22.05.14 | Intoxication by chlorine gas | O2+ Spray+ Monitoring |
| 2205-P19 | Female 8 years | Kafr Zita | 22.05.14 | Intoxication by chlorine gas | O2+ Spray+ Monitoring |
| 2205-P20 | Female 10 years | Kafr Zita | 22.05.14 | Intoxication by chlorine gas | O2+ Spray+ Monitoring |
| 2205-P21 | Female | Kafr Houd | 22.05.14 | Intoxication by chlorine gas | O2+ Spray+ Monitoring |
| 2205-P22 | Female | Kafr Zita | 22.05.14 | Intoxication by chlorine gas | O2+ Spray+ Monitoring |
| 2205-P23 | Female 29 years | Kafr Zita | 22.05.14 at 20:00 hrs | Intoxication by chlorine gas | O2+ Spray+ Monitoring |
| 2205-P24 | Male 14 years | Kafr Zita | 22.05.14 at 20:00 hrs | Intoxication by chlorine gas | O2+ Spray+ Monitoring |
| 2205-P25 | Male 21 years | Karnaz | 22.05.14 at 20:00 hrs | Intoxication by chlorine gas | O2+ Spray+ Monitoring |
| 2205-P26 | Female | Kafr Houd | 22.05.14 at 20:00 hrs | Intoxication by chlorine gas | O2+ Spray+ Monitoring |
| 2205-P27 | Female 9 years | Kafr Zita | 22.05.14 at 20:00 hrs | Intoxication by chlorine gas | I.V liquids+ sprays |
| 2205-P28 | Female 40 years | Kafr Zita | 22.05.14 at 20:00 hrs | Intoxication by chlorine gas | |
| 2205-P29 | Male 22 years | Kafr Zita | 22.05.14 at 20:00 hrs | Intoxication by chlorine gas | O2+ Spray+ Monitoring |
| 2205-P30 | Male 24 years | Kafr Zita | 22.05.14 at 20:00 hrs | Intoxication by chlorine gas | O2+ Spray+ Monitoring |
| 2205-P31 | Female | Kafr Zita | 22.05.14 at 20:00 hrs | Intoxication by chlorine gas | O2+ Spray+ Monitoring |

| | | | | | |
|----------|-----------------|-----------|-----------------------|---|---|
| 2205-P32 | Male | Kafr Zita | 22.05.14 at 20:00 hrs | Intoxication by chlorine gas | - |
| 2205-P33 | Female 20 years | Khatab | 22.05.14 at 20:00 hrs | Intoxication by chlorine gas | O2+ Spray |
| 2205-P34 | Male 20 years | Khatab | 22.05.14 at 20:00 hrs | Intoxication by chlorine gas | O2+ Spray |
| 2205-P35 | Female 9 years | Kafr Zita | 22.05.14 at 20:00 hrs | Intoxication by chlorine gas | I.V fluids (salbutamol) |
| 2205-P36 | Male | Morek | 22.05.14 at 10:00 hrs | Injury in the middle finger | Suturing+ bandage |
| 2205-P37 | Female 5 years | Kafr Zita | 22.05.14 | Intoxication by chlorine gas | O2+ Spray+ Monitoring |
| 2205-P38 | Female 45 years | Kafr Zita | 22.05.14 at 20:00 hrs | Intoxication by chlorine gas | O2+ Spray+ Monitoring |
| 2905-P1 | Female,18 years | Latamnah | 29 May 2014 at 23h20 | Intoxication with chlorine gas. | Same treatment |
| 2905-P2 | Male | Latamnah | 29 May 2014 at 23h20 | Intoxication with chlorine gas. Same symptoms | Same treatment |
| 2905-P3 | Male, 17 years | - | 29 May 2014 at 23h20 | Intoxication with chlorine gas. Same clinical symptoms | Same treatment |
| 2905-P4 | Female,19 years | Latamnah | 29 May 2014 at 23h20 | Intoxication with chlorine gas. Same clinical symptoms | Same treatment |
| 2905-P5 | Male, 16 years | Latamnah | 29 May 2014 at 23h20 | Intoxication with chlorine gas. Same clinical symptoms | Same treatment |
| 2905-P6 | Female,22 years | Kafr Zita | 29 May 2014 at 24h | Intoxication with chlorine gas. Same clinical symptoms | Same treatment (admitted to intensive care) |
| 2905-P7 | Female,40 years | Latamnah | 29 May 2014 at 23h20 | Intoxication with chlorine gas. Same clinical symptoms | Same treatment |
| 2905-P8 | Female,26 years | Latamnah | 29 May 2014 at 24h | Intoxication with chlorine gas. Same clinical symptoms | Same treatment |
| 2905-P9 | Female,22 years | - | 29 May 2014 at 23h20 | Intoxication with chlorine gas. Same clinical symptoms | Same treatment |
| 2905-P10 | Male, 25 years | Latamnah | 29 May 2014 at 23h20 | Intoxication with chlorine gas. Same clinical symptoms | Same treatment |
| 2905-P11 | Male, 02 years | Latamnah | 29 May 2014 at 23h20 | Intoxication with chlorine gas. Same clinical symptoms | Same treatment |

| | | | | | |
|----------|------------------|----------|----------------------|---|----------------|
| 2905-P12 | Female, 05 years | - | 29 May 2014 at 23h20 | Intoxication with chlorine gas. Same clinical symptoms | Same treatment |
| 2905-P13 | Male, 22 years | Latamnah | 29 May 2014 at 23h20 | Intoxication with chlorine gas. Same clinical symptoms | Same treatment |
| 2905-P14 | Male, 28 years | Latamnah | 29 May 2014 at 23h20 | Intoxication with chlorine gas. Same clinical symptoms | Same treatment |
| 2905-P15 | Male, 16 years | Latamnah | 29 May 2014 at 23h20 | Intoxication with chlorine gas. Same clinical symptoms | Same treatment |
| 2905-P16 | Male, 24 years | Latamnah | 29 May 2014 at 23h20 | Intoxication with chlorine gas. Same clinical symptoms | Same treatment |
| 2905-P17 | Female years | Latamnah | 29 May 2014 at 23h20 | Intoxication with chlorine gas. Same clinical symptoms | Same treatment |

Appendix 1

Example of the front and back of an identification card issued by the Government of the Syrian Arab Republic to one of the interviewees. The identity of all interviewees was checked and copies of identity documents were made by the Mission.



Appendix 2

Example of the consent form (copy 1 in English) signed by all participants in the interview process. The signed form (copy 2 in Arabic) was handed over to the interviewees.

COPY 1 (English) for the file

ORGANISATION FOR THE PROHIBITION OF CHEMICAL WEAPONS
Investigation of Alleged Use of Chemical Weapons



Consent to Interview by OPCW Inspection Team
Inspection code: SAB/FFM3/14 Related Interview Protocol DCN: SAB/FFM3/14/5914/018

1. Interview Sub-Team composition

| | Name | UNLP/ID | Team position | Contact information | Remarks |
|---|------------|---------|------------------------|---------------------|---------|
| 1 | [REDACTED] | | Interview Team Leader | (OPCW/tel.) | |
| 2 | [REDACTED] | | Interviewer/note-taker | | |
| 3 | [REDACTED] | | Interpreter | | |

2. Witness personal data

| Name/(or Code number) | ID No. | DOB | Sex | Nationality |
|--|--|------------|--------------------------|-------------|
| [REDACTED] | [REDACTED] | [REDACTED] | M/F | Syrian |
| Marital Status: Married | Home Address: Telmenes, Idlib, Syria | | | |
| Children: [REDACTED] | Education: University General Surgeon | | Language fluency: Arabic | |
| Place of work: Telmenes Field Hospital | Position/Rank: General Surgeon | | | |
| Relation to the alleged incident: Treating Physician | Previous experience (if any) related to the CW: no past experience | | | |
| Witness/ Victim/ Other (Specify): as above | | | | |

PART A

I, [REDACTED], hereby consent / ~~do not consent~~ to being interviewed by the OPCW Fact Finding Mission and to having my personal data and interview statement used in the context of the Fact Finding Mission. Furthermore, I hereby confirm that I have read and understood this Consent Form, and the interview protocol, bearing DCN [REDACTED], (which was read to me by the interpreter) and that all the data in both documents were accurately recorded.

Witness Name: [REDACTED] Signature: [REDACTED] Date: 25/8/14

Interviewing Team Members:


Name/Function: [REDACTED] Signature: [REDACTED] Date: 25/08/14

Name/Function: [REDACTED] Signature: [REDACTED] Date: 25.08.14

[REDACTED] Signature: [REDACTED] Date: 25.08.14


Appendix 3

Example of a single page from an OPCW inspection notebook. Only official OPCW equipment was used while collecting and analysing data and drafting this report.




Appendix 5

Example of an authorisation certificate to practice medicine in the Syrian Arab Republic, provided by a treating physician and checked by the Mission.



Appendix 6

Example of doctors licentiate in human medicine issued by the Syrian Arab Republic and provided to the Mission by a treating physician.



Appendix 7

Example of a B.A. Degree in Nursing from the Syrian Arab Republic, presented by one of interviewees.

 الجمهورية العربية السورية
جامعة حلب
كلية التمريض
Syrian Arab Republic.
Aleppo University
Nursing Faculty

رقة

Graduation Certificate

شهادة تخرج

إجازة في التمريض BA degree in nursing

استنادا إلى قرار مجلس جامعة حلب تاريخ
منحه السيد بن
المولود عام ١٩٨٢ ألف وتمسلة
المتعمد بالجنسية
درجة الإجازة في التمريض
بتقدير ومعدل (.....)
وذلك بنتيجة امتحانات التخرج للعام الدراسي /

By virtue of the decision by the Aleppo University Board dated
Mr Name son of Name
Born in Place in Year,
Nationality: Syrain Arab Republic has obtained a
BA degree in Nursing with distinction and score...
following the graduation examinations for academic year.....

حلب في الموافق
نظامها
رئيلان لشؤون الطلاب
الاسم: فاطمة شرييح
التوقيع: صباحي طرايبيشي

Allepo on of the Hegira calendar, corresponds to date, year.

Head of students affairs division


Prepared by

المختور محمد النائف
Dean of faculty, Dr. Mohamed Al_Nayef

* كل حك أو شطب أو تحوير في هذه الوثيقة باعها.
* لا يعطى الطلاب سوى مصدقة واحدة وإذا احتاج إلى أكثر أعطيه تصويرها فوتوكوبى
وتصديقها من الكلية.
ج ت


Appendix 8

Sketch by an interviewee of the neighbourhood around the Big Mosque in Talmenes, where the barrel bombs impacted on 21 April 2014.




Appendix 9

Sketch drawn by an interviewee of the point of impact of the second barrel bomb in Talmenes village and the accompanying destruction. The picture below is a screen-grab from a video of the impact point provided by one interviewee. This picture provides the same view as the sketch above but as visualised from the side of the street. It also shows the collapsed wall.



Appendix 11

Sketch by an interviewee representing villages near Talmenes that have medical clinics and their distances.






Appendix 12

A dropped barrel bomb that failed to function, as the point of impact was in soft soil. The nose-end of the bomb has been blunted on impact. The second photograph is the cross-section view of same bomb, showing the toxic chemical cylinder. A blue detonation (fuse) wire is also visible.



Appendix 13

Sketches by interviewees of an improvised barrel bomb. The first has two cylinders inside, one yellow and bearing the markings "CL2". The openings (vents) according to interviewees produce the whistling sound, as mentioned in the main body of the report. The second sketch shows the improvised nature of the barrel bomb. The last sketch depicts the length and possible functioning mechanism.



Appendix 14

Various markings on the toxic chemical cylinder contained inside the barrel bombs can be seen in these screen-grabs from a video provided by an interviewee.



Appendix 15

View of the base of an outer barrel reinforced with a cross-sectional support. The toxic chemical cylinder can be seen inside.



Appendix 16

A barrel bomb that exploded (opened up rather than splintered). The toxic chemical cylinder can be seen inside the barrel bomb in the second picture.



Appendix 17

The remnants of a toxic chemical cylinder. Note that the cylinder has ruptured at the nose end.



Appendix 18

The view of the measurement of an inner chlorine cylinder from a barrel bomb that functioned. The second picture shows the remnants of the outer barrel and inner cylinder as they lay after functioning as designed.



Appendix 19

A sketch by one interviewee of an improvised barrel bomb containing toxic chemicals. A screen-grab of a similar improvised barrel bomb containing toxic chemicals from a video provided by another interviewee. Among the smaller containers, only 97-98% purity H₂SO₄ with containing black bottle is labelled.



Appendix 20

Contents of various containers. The yellow container has a caked yellow powder. The black container has sulfuric acid as marked on the label.



Appendix 21

Measurements of the impact crater from the first barrel bomb. The diameter of this crater is approximately 360 cm and the depth is approximately 140 cm. The lack of damage on the surrounding walls around the impact point can be noticed.



Appendix 22

The dismantling of a barrel bomb. Screen-grabs taken from a available video. The toxic gas cylinder is tightly enclosed in outer barrel, the space between the gas cylinder and the outer barrel filled with light yellow powder; and multiple blue detonation wires between the valve of the cylinder and the base can be seen.




Appendix 23

Screen-grab from a video provided by an interviewee showing the yellow cloud that rises to height of approximately 50 m after impact of barrel bomb containing toxic chemicals.



Appendix 24

The first picture, a screen-grab from a video provided by an interviewee, shows the leaves of trees that faced the brunt of the released gas. They are dried, have turned yellow, and wilted. As stated by one interviewee “it appeared the trees had never been watered”. The second picture, a screen-grab from a video provided by an interviewee, shows the fallen fruit from the trees. Also notice the unusually large number of tree leaves that have fallen. This picture is a snapshot from a video showing the incident from the month of April.




Appendix 25

The dead birds and animals. There is lack of physical injury, despite being in the immediate vicinity of the barrel bomb's impact. These pictures are screen-grabs from videos provided by interviewees.



Appendix 26

The first picture, provided by an interviewee, is a photographic comparison of two door handles from the same house where the barrel bomb impacted. The blue-greenish deposit (possibly copper chloride) appeared after the attack by the barrel bomb containing toxic chemicals, on one of these copper/brass door handles. The second picture is a screen-grab from a video provided by an interviewee in whose house the munition impacted, shows the unusual rusting of an outer barrel that was also described by an interviewee. This is possibly caused by the corrosive effects of chlorine.



Appendix 27

The patient register from one of the hospitals, documenting the name, age, gender, address, diagnosis, etc. of casualties exposed to toxic chemicals. This document was provided by a treating physician.



Appendix 28

The first scanned picture is a patient referral form from Kafr Zita hospital. The second scanned picture is of physicians' daily round notes. These documents were provided by interviewees.

Kafr Zita specialty hospital
 All medical specialities
 Address line 1
 Address line 2
 Telephone.

مستشفى كفر زيتا التخصصي
 كافة الاختصاصات الطبية

Patient transfer form
 ((بطاقة اسعاف خارجي))

Telephone: [redacted] Address: [redacted] Patients name: [redacted]

Transferred by physician: [redacted] Date of first aid: [redacted]

Intoxication by chlorine gas (severe coughing, fatigue, cold perspiration, cyanosis, haemoptysis).
 التشخيص: تسمم بفيتا الكلور (سعال شديد + عياء + برودة + برص + دم في السعال)

SPO2 82% BP 70/40
 نوع المعالجة: [redacted]

الطبيب المعالج: [redacted]

اسم: [redacted] التوقيع: [redacted]

UOSSM
 مستشفى باب الهوى
 Bab Al Hawa Hospital
 BHH
 BAB AL-HAWA HOSPITAL

متابعة المريض اليومية Daily Round

Respiration, Vomiting, cold difficulty breathing, coughing: [redacted] - رئة - حمى - قيء - سعال

General condition: good - عام جيد

Blood pressure: 100/50 - ضغط: 100/50
 SpO2: 90% - SpO2: 90%

Advice for day: Monitoring of blood pressure, pulse and oxygenation.
 Subcutaneous rehydration. Continue when oxygenation falls below 97%.

وايضا الضغط والنبض والأكسجة كل ساعة
 - ارداد سائله كوركتة عن طريق الوريد عن 100/50

This section concerning details of the victims can be filled either by the victim itself or by one of the personnel, volunteers or doctors

| | | | |
|--|---|--|-------------------|
| Name of hospital: Bab Al Hawa | Date of exposure: 21 April 2014 | Time of exposure: 14:20 approximately | |
| Name of victim: Male | Female | Age: 65 years | Date of birth |
| Address of victim: Talmenes | | | |
| Name of treating physician: Dr [redacted] | Place of work: Bab Al Hawa hospital | Specialty: Anaesthesiologist/intensive care specialist, internal medicine | |
| This section was filled by | The victim | A worker | Someone else |
| Exposure and decontamination (This section and the rest of the form are to be filled by the physician and by no one else) | | | |
| Was the victim exposed to chemical contamination | Yes | No | Not sure |
| If the answer is yes, when did the contamination occur? | Date: 21 April 2014 | Time: 12:00 approximately | |
| If the answer is yes, where was the victim when he was exposed to contamination? She was at home when a barrel bomb landed. This has led to the spread of a yellow gas over the surface of the ground, which caused difficult breathing and a sensation of suffocation for all the persons who were present in the house. | | | |
| In what form was the contaminating substance? | Solid | Liquid | Vapour or gas |
| What was the type of exposure to the contaminating substance? | Inhalation | Deglutination | Transcutaneous |
| Chemical designation | Unknown | | |
| Has the victim been decontaminated at the place of exposure? | Yes | No | Not sure |
| Has the victim been decontaminated in the tent? | Yes | No | Not sure |
| Symptoms associated to chemical exposure and management of these symptoms | | | |
| Where there any apparent symptoms on the victim | Yes | No | Not sure |
| If the answer is yes, describe the symptoms. The patient was conscious and responsive but was suffering respiratory distress level IV+ increased respiratory rate+ rapid pulse+ perspiration+ agitation+ severe cough+ rhonchi and crepitation in lungs+ very low level of oxygenation (40%). The patient was intubated. Abundant pink excretions from trachea. The patient was referred to [redacted] as there was no place available. She was immediately intubated at around 14:40. | | | |
| Date and time of the appearance of the first symptom on the victim | Date | Time | |
| What kind of triage did the victim go through at the place of exposure? | Unknown | Immediate | Urgent |
| What kind of triage did the victim go through at the tent? | Unknown | Immediate | Urgent |
| Reaction at the place of exposure | Conscious | Verbal reaction | Reaction to pain |
| Has the victim been treated with an antidote? | Yes | No | Not sure |
| If the answer is yes, specify the dose of any medicine given to the victim as an antidote: | | | |
| Was any sample taken for analysis? | Blood | Urine | None |
| Final analysis results | | | |
| Was the patient admitted to a hospital? | Intensive care unit For a short period | General ward | No/Not sure |
| Was the patient released? | Yes | No | Not sure |
| Was the patient given an appointment for follow-up at the hospital? | Yes | No | Not sure |
| Was the victim told to come back after 24 hours for further examination by the doctor? | Yes | No | Not sure |
| Was the victim transferred to another medical unit? | No | Yes Name of the medical unit: Turkey | |
| Did the victim die? | No | Yes Date and time of death | |
| Who filled sections of this form? | Name: Dr [redacted] | Function Anaesthesiologist/intensive care specialist | Other information |

Appendix 31

A scanned picture of the vital signs record of a patient, provided by an interviewee. The initial recordings show a patient in distress, as recorded with poor oxygen saturation of 82%, tachycardia of 104 bpm, and hypothermia. All vital signs stabilise over a period of time, as expected after medical intervention.

مشفى باب الهوى
 Bab Al Hawa Hospital
 BHH
 الدائري
 باب الهوى
 BAB AL HAWA HOSPITAL
 مشفى باب الهوى

المرضى: [Redacted]
 الغرفة: [Redacted] كمية السوائل: [Redacted]

كمية السوائل الخارجية:

| المفجرات | البول | سيزوم | دمويات | الأكسجة | الحرارة | النبض | الضغط | المرضى |
|---|-------|-------|--------|---------|---------|-------|--------|--------|
| NGT | | | | 82 | ↓ | 104 | 121/86 | 9 |
| | | | | 90 | 37 | 111 | 120/66 | 12 |
| | | | | 90 | 37 | 82 | 121/88 | 2 |
| 3.30 ملاحظة: تحفيز شام 50% - 100% في 10:00 صباحاً | | | | | | | | |
| المريضة مع تحفيز شام 100% في 10:00 صباحاً | | | | | | | | |
| في وقت 10:00 صباحاً | | | | | | | | |
| | | | | 94 | 36.6 | 75 | 121/66 | 6 |
| | | | | 94 | 36.6 | 76 | 111/72 | UP |