



الموضوع: إعلان مناقصة لشراء بنزين أوكتان /90/ بالسرعة الكلية.

يسر وزارة النفط والثروة المعدنية - دمشق دعوتكم لتقديم عرضكم الثابت لتوريد مادة بنزين أوكتان /90/ استناداً إلى البنود التالية:

١- الكمية: (80.000 ± 10%) طن متري بخيار البائع، ويجب على البائع توريد الكمية خلال 30/ يوم من تاريخ توقيع العقد.

٢- النوعية: يجب على البائع توريد المادة وفقاً للمواصفات المحددة التالية:

طريقة الاختبار	المتطلبات	المواصفات
ASTM – D -1298/1999	0.770 – 0.720	الكثافة بالدرجة C° 15 (غ / سم³)
فحص بالعين المجردة	عديم اللون مائل للصفرة	اللون
ASTM – D 3237 : 1997	0.005	محتوى الرصاص (غ/ل) حداً أعلى
ASTM – D 2699 : 2001	90	رقم الأوكتان حداً أدنى
ASTM – D 323 : 1998	0.7	ضغط البخار (طريق ريد) كغ/سم² حداً أعلى
ASTM – D 1266 : 1998	0.001	نسبة الكبريت الكلي % وزناً حداً أعلى
ASTM – D 381:2001	4.0	نسبة الصمغ ملغ/ 100 مل حداً أعلى
ASTM – D 525:2001	420	قدرة مقاومة الأكسدة بالدقائق حداً أدنى
ASTM – D 130:1994	(IA)	اختبار الصفيحة النحاسية عند C° 50 / مدة 3/ ساعات حداً أعلى
ASTM – D 2709:1996	Free	الماء والرواسب
ASTM – D 86-2001	70 C°	التقطير 10%/ مقطر حداً أعلى
	130 C°	50% مقطر حداً أعلى
	180 C°	90% مقطر حداً أعلى
	205 C°	نهاية الغليان حداً أعلى
	1.5	المتبقي % حجماً حداً أعلى
	0.5	الفاقد % حداً أعلى
	98	الحجم المقطر % عند الدرجة C° 205 حداً أدنى



ASTM – D 1319:1990	45	محتوى العطريات % حتماً حداً أعلى
ASTM – D 1319:1990	18	نسبة الأوليفينات % حتماً حداً أعلى
ASTM – D 5580:2000 or D3606:1999	2	نسبة البنزن % حتماً حداً أعلى
ASTM – D 4815:1999	2.7	نسبة الأوكسجينيات % وزناً حداً أعلى
ASTM – D 3831:1997	0.036	محتوى المنغنيز (غ/ل) حداً أعلى

٣- السعر:

للكمية الصافية في خزانات بانياس بالدولار الأمريكي للطن المتري في الهواء وفقاً لمعدل وسطي الأسعار (عالي/منخفض) للخمسة أيام كما هي محددة في نشرة أسعار البلاتس (European merketscan) L 10ppm prem unl تحت العنوان فوب ميد إيطاليا المحيطة بتاريخ بوليصة الشحن زائد علاوة ثابتة أو حسم يتم تحديده من قبل العارض.

في حال عدم وجود نشرة بتاريخ بوليصة الشحن عندها يطبق وسطي السعريين في النشرتين السابقتين مباشرةً والسعريين في النشرتين اللاحقتين مباشرةً من تاريخ بوليصة الشحن.

يستند السعر المسمى على كثافة معيارية (0.755) بالدرجة 15 ويتم زيادة السعر أو إنقاظه وفقاً لنسبة الكثافة المعيارية إلى الكثافة الفعلية للمادة (في الهواء) والمحددة بموجب شهادة نوعية في ميناء التفريغ.

٤- الدفع:

يتم التسديد بالدولار الأمريكي بموجب شيك مصدق وبعد تقديم المستندات المطلوبة كما يلي:

- أ- فاتورة تجارية أصلية واحدة مصدقة و/5 نسخ مجيرة لأمر الشاري.
- ب- شهادة أصلية بالكمية المفترغة في ميناء التفريغ، صادرة عن المراقب المحايد وموقعة من المراقب المحايد، والبائع، والشاري، و/أو ممثليهم.
- ت- شهادة نوعية أصلية في ميناء التفريغ صادرة عن المراقب المحايد، وموقعة من المراقب المحايد، والبائع، والشاري، و/أو ممثليهم.
- ث- مجموعة كاملة من بوالص الشحن النظيفة (B/L) على ظهر الناقله مجيرة لأمر الشاري.
- ج- شهادة منشأ أصلية مصدقة وخمس نسخ عنها.



ح- بيان من مالكي الناقلات، الوكلاء، أو القبطان، تشهد بأن الناقلات الحاملة للبضائع قد تم قبولها من قبل الميناء السوري بموجب الأنظمة والقوانين السورية.
وذلك وفق الآتي ولكل شحنة ماردة:

- 10% من قيمة الشحنة عند استلام المادة في خزانات بانياس.
- 30% من قيمة الشحنة بعد 15/ يوم من تاريخ الاستلام.
- 30% من قيمة الشحنة بعد 30/ يوم من تاريخ الاستلام.
- 30% من قيمة الشحنة المتبقية بعد 45/ يوم من تاريخ الاستلام.

٥- الكفالة النهائية:

5-1- على العارض أن يقدم مع عرضه كفالة حسن تنفيذ صادرة عن أي مصرف في سوريا ويكون مبلغ الكفالة (200.000) دولار أمريكي مائتي ألف دولار أمريكي.

5-2- أي عرض لا يتضمن الكفالة المطلوبة أعلاه سيتم إهماله.

5-3- يتم تقديم الكفالة في مغلف منفصل عن العرض في حال تقديم العرض باليد، وفي حال تقديم العرض بالفاكس أو الإيميل ترفق نسخة عنها على أن يتم تسليمها إلى وزارة النفط قبل إتمام التعاقد.

٦- تخضع كافة البنود والشروط الأخرى غير المذكورة في هذا الإعلان لدفتر الشروط العامة لشراء النفط الخام والمشتقات النفطية إصدار 2025 وذلك بما لا يتعارض مع بنود هذا الإعلان.

٧- تاريخ الإغلاق وفض العروض:

يتم تقديم العروض باليد لدى وزارة النفط والثروة المعدنية في دمشق لغاية يوم الاثنين 27/1/2025 الساعة 2:30/ ظهراً بتوقيت دمشق، أو عبر الفاكس على الرقم 00963113165038/ أو عبر الإيميل التالي: marketing@mopmr.gov.sy، وسيتم فض العروض في مبنى وزارة النفط والثروة المعدنية بحضور العارضين أو ممثليهم يوم الثلاثاء 28/1/2025 الساعة الحادية عشرة صباحاً بتوقيت دمشق.

وزير النفط والثروة المعدنية



(Handwritten signature)

Syrian Arab Republic

Ministry of Petroleum and Mineral
Resources



الجمهورية العربية السورية

وزارة النفط والثروة المعدنية

الرقم: ٢٠٢٥ / ١ / ٢٠

التاريخ: ٢٠٢٥ / ١ / ٢٠

No. :

Date :20/1/2025

Sub: Tender Announcement for Purchasing of Gasoline Octane /90/ as soon as possible at utmost urgency.

Ministry of Petroleum and Mineral Resources - Damascus has the pleasure to invite you to submit your firm offer to supply **Gasoline Octane /90/** based on the following terms:

1-Quantity: (80,000 \pm 10%) Metric Ton (MT) at seller's option during a period of / 30 / days starting from the signature of the contract.

2-Quality: Seller should deliver the product according to the following guaranteed specifications:

Characteristics	Requirement	Test method ASTM
1- Density at 15 Deg c.(g/cm ³)	0.720-0.770	D-1298/1999
2- Colour	Yellowish	Visual
3- lead content (g/l)	0.005 MAX	D-3237:1997
4- Research octane number	90 Min	D-2699:2001
5-vapour pressure(reid method).kg/cm ²	0.7 MAX	D-323:1998
6-total sulphur WT PCT.	0.001 MAX	D-1266:1998
7- Gum content mg/100 ml	4.0 MAX	D381:2001
8- oxidation stability in minute	420 MIN	D-525:2001
9 -cu test 3 hours at 50Deg.c	1a MAX	D-130:1994
10-water -sediments	nil	D-2709:1996
11-distillation: /10%/distilled	70 c MAX	D86-2001
/50%/distilled	130 c MAX	D86-2001
/90%/distilled	180 c MAX	D86-2001
final boiling point	205 c MAX	D86-2001
Residue vol %	1.5 MAX	D86-2001
loss vol%	0.5 MAX	D86-2001
distilled vol %at 205 deg.c	98 MIN	D 86-2001
12-Aromatics vol %	45 MAX	D 1319:1990
13-olefins vol %	18 MAX	D 1319:1990
14- Benzene g/l	2 MAX	D 5580:2000 or D 3606:1999
15-oxygen content wt %	2.7 MAX	D 4815:1999
16-manganese g/l	0.036 MAX	D 3831:1997

Syrian Arab Republic

Ministry of Petroleum and Mineral
Resources



الجمهورية العربية السورية

وزارة النفط والثروة المعدنية

الرقم: ٧٢ / ١٩ / ٢٠٢٥

التاريخ: ٢٠٢٥ / ١ / ٢٠

3-Price:

For the Net quantity at Banias Tanks in (USD) per MT (in Air) according to the mean average of (high/low) as published in Platt's European Marketscan for (Perm Unl 10ppm), in /5/ five quotations around the B/L date (B/L date inclusive) under the heading FOB – MED Italy, plus a firm premium or discount to be defined by the Bidder

In case no Platt's quotations are issued on the B/L date due to weekend or other holidays, then the average of the four quotations (the two preceding and the two following B/L date shall be only applied).

The nominated price will be based on a standard Density (0.755) at (15) degree c, and the price will be increased or decreased in accordance with the rate of the standard Density (in Air) as specified in the Certificate of Quality at discharge port.

4-Payment:

Payment is to be made in USD as per a duly certified cheque, and after presenting the following requested documents:

a-One duly legalized original Commercial Invoice and /5/ copies endorsed to the order of buyer.

b- Original Certificate of discharged quantity at the discharge port issued by the independent inspector, and signed by the independent inspector, seller, buyer and/or their representatives.

c-Original Certificate of quality at the discharge port issued by the independent inspector and signed by the independent inspector, seller, buyer and/or their representatives.

d-Full set of clean on board Bills of Loading endorsed to the order of buyer.

e-One Original Certificate of origin (C/O) and /5/ copies.

f-A statement from vessel's owners, the agents or the master attesting that the vessel carrying the products has been accepted by the Syrian port according to the Syrian laws and regulations.

And in accordance to the following for each delivered cargo:

- /10%/ of the shipment value upon receiving the product at Banias tanks.
- /30%/ of the shipment value after /15/ days as from receiving date.
- /30%/ of the shipment value after /30/ days as from the receiving date.
- /30%/ of the shipment value after /45/ days as from the receiving date.

5-Performance Bond:

5-1- Bidder to include his offer with a performance bond issued by any Bank based in Syria or as per performance bond; The amount of the Performance bond is USD (200,000).

5-2- Any offer does not include the performance bond will be neglected.

Syrian Arab Republic
Ministry of Petroleum and Mineral
Resources



الجمهورية العربية السورية

وزارة النفط والثروة المعدنية

الرقم: ٥٢/١٩٢٦

التاريخ: ٢٠٢٥ / ١ / ٢٠

5-3- The Performance Bond should be presented in a separate envelope than of the offer in case the offer will be submitted by hand, in case of the offer will be submitted by fax or e-mail, a copy of the pond should be attached, and should be submitted before finalizing the contract.

6- All other terms and conditions are as per GT & Cs Edition 2025 for crude oil and products, where not in contradiction with this tender.

7- Closing date and opening of offers:

You are kindly invited to submit your final and firm offer **by hand** to Ministry of Petroleum and Mineral Resources – Damascus – Syria, **by fax** No. 00963113165038, or **by Email** : marketing @ mopmr.gov.sy, till **Monday 27/1/2025** up to **2:30** o'clock Damascus time.

The offers will be opened at the Ministry of Petroleum and Mineral Resources building in the presence of the bidders or their representatives on **Tuesday 28 /1/2025** at **11:00o'clock** Damascus time.

Best regards.

Minister of Petroleum and Mineral Resources

